

ARCAL 1, ARCAL Prime

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA003A-ARC Issue date: 1-7-2017 Revision date: 1-1-2022 Supersedes version of: 1-7-2017 Version: 5.0

Warning



1.1. Product identifier	
Trade name	: ARCAL 1, ARCAL Prime
SDS no	: EIGA003A-ARC
Other means of identification	: Argon
	CAS-No. : 7440-37-1
	EC-No. : 231-147-0
	EC Index-No. :
REACH registration No	: Listed in Annex IV / V REACH, exempted from registration.
Chemical formula	: Ar
1.2. Relevant identified uses of the substand	ce or mixture and uses advised against
Relevant identified uses	: Industrial and professional uses. Perform risk assessment prior to use.
	Test gas/Calibration gas.
	Purge gas, diluting gas, inerting gas.
	Purging.
	Use for manufacture of electronic/photovoltaic components.
	Shield gas for welding processes. Laboratory and Process control.
	Contact supplier for more information on uses.
Uses advised against	: None.
1.3. Details of the supplier of the safety data	a sheet
THE NETHERLANDS:	
AIR LIQUIDE BV	
De Witbogt 1	
5652 AG Eindhoven	
the Netherlands-Nederland	
BELGIUM:	
L'AIR LIQUIDE BELGE S.A./N.V.	
Avenue de Bourget / Bourgetlaan 44	
1130 Bruxelles-Brussel	
Belgium-Belgique-België	
LUXEMBURG:	
L'AIR LIQUIDE LUXEMBOURG S.A.	
ZONE P.E.DB.P.20	
L-4801 RODANGE Luxemburg	
infosafetydatasheet.albv@airliquide.com	
www.airliquide-benelux.com	
1.4. Emergency telephone number	
Emergency telephone number	: NL: +31 (0)40 250 35 03 / BE: +32 (0)2 431 72 00 / LUX: +352 50 62 63 1



ARCAL 1, ARCAL Prime

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA003A-ARC

Country	Organisation/Company	Address	Emergency number	Comment
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 1120 Bruxelles/Brussel	+32 70 245 245	Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)
Luxembourg	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 1120 Bruxelles/Brussel	+352 8002 5500	Free telephone number with a 24/7 access. Experts answer all urgency questions on dangerous products in French, or German
Netherlands	Nationaal Vergiftigingen Informatie Centrum	Huispostnummer B.00.118 Postbus 85500 3508 GA Utrecht	+31 88 755 80 00	Only for the purpose of informing medical personnel in cases of acute intoxications

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according	to Regulation (EC) No. 1272/2008 [CLP]	
Physical hazards	Gases under pressure : Compressed gas	H280
2.2. Label elements		
Labelling according to R	Regulation (EC) No. 1272/2008 [CLP]	
Hazard pictograms (CLP)	: GHS04	
Signal word (CLP)	: Warning	
Hazard statements (CLP) Precautionary statements	6	as under pressure; may explode if heated.
- Storage	: P403 - Store in a w	vell-ventilated place.
2.3. Other hazards		

Asphyxiant in high concentrations. The substance/mixture has no endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.1. Substances



ARCAL 1, ARCAL Prime

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA003A-ARC

Name	Product identifier		Classification according to Regulation (EC) No. 1272/2008 [CLP]
Argon	CAS-No.: 7440-37-1 EC-No.: 231-147-0 EC Index-No.: REACH registration No: *1	100	Press. Gas (Comp.), H280

Contains no other components or impurities which will influence the classification of the product.

Not established.

*1: Listed in Annex IV / V REACH, exempted from registration.

*3: Registration not required: Substance manufactured or imported < 1t/y.

3.2. Mixtures

SECTION 4: First aid measures	
4.1. Description of first aid measures	

- Inhalation	 Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Perform cardiopulmonary resuscitation if breathing stopped.
- Skin contact	: Adverse effects not expected from this product.
- Eye contact	: Adverse effects not expected from this product.
- Ingestion	: Ingestion is not considered a potential route of exposure.
4.2. Most important symptoms and effects, both acute and delayed	

In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. See section 11.

radiation may cause gas receptacles to rupture. Cool endangered receptacles with water spray jet from a protected position. Prevent water used in emergency cases from entering

4.3. Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
- Suitable extinguishing media	: Water spray or fog. Product does not burn, use fire control measures appropriate for the surrounding fire.	
- Unsuitable extinguishing media	: Do not use water jet to extinguish.	
5.2. Special hazards arising from the substance or mixture		
Specific hazards Hazardous combustion products	Exposure to fire may cause containers to rupture/explode.None.	
5.3. Advice for firefighters		
Specific methods	: Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat	

sewers and drainage systems. If possible, stop flow of product.

Use water spray or fog to knock down fire fumes if possible.

Move containers away from the fire area if this can be done without risk.



ARCAL 1, ARCAL Prime

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA003A-ARC

Special protective equipment for fire fighters	 In confined space use self-contained breathing apparatus. Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters. Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask. Standard EN 469 - Protective clothing for firefighters. Standard - EN 659: Protective gloves for firefighters.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	 Act in accordance with local emergency plan. Try to stop release. Evacuate area. Ensure adequate air ventilation. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. 	
For emergency responders	 Stay upwind. See section 8 of the SDS for more information on personal protective equipment Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. Oxygen detectors should be used when asphyxiating gases may be released. See section 5.3 of the SDS for more information. 	
6.2. Environmental precautions		
	Try to stop release.	
6.3. Methods and material for containment and cleaning up		
	Ventilate area.	
6.4. Reference to other sections		
	See also sections 8 and 13.	

SECTION 7: Handling and storage 7.1. Precautions for safe handling Safe use of the product : Do not breathe gas. Avoid release of product into work area. The product must be handled in accordance with good industrial hygiene and safety procedures. Only experienced and properly instructed persons should handle gases under pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regularily) checked for leaks before use.

Do not smoke while handling product. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt. Avoid suck back of water, acid and alkalis.



ARCAL 1, ARCAL Prime

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA003A-ARC

Safe handling of the gas receptacle	 Refer to supplier's container handling instructions. Do not allow backfeed into the container. Protect containers from physical damage; do not drag, roll, slide or drop. When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. If user experiences any difficulty operating valve discontinue use and contact supplier. Never attempt to repair or modify container valves or safety relief devices. Damaged valves should be reported immediately to the supplier. Keep container valve outlets clean and free from contaminants particularly oil and water.
	Reep container valve outlets clean and nee from containing particularly on and water. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment. Close container valve after each use and when empty, even if still connected to equipment. Never attempt to transfer gases from one cylinder/container to another. Never use direct flame or electrical heating devices to raise the pressure of a container. Do not remove or deface labels provided by the supplier for the identification of the content of the container. Suck back of water into the container must be prevented. Open valve slowly to avoid pressure shock.
7.2. Conditions for safe storage, including any	incompatibilities
	Observe all regulations and local requirements regarding storage of containers. Containers should not be stored in conditions likely to encourage corrosion. Container valve guards or caps should be in place. Containers should be stored in the vertical position and properly secured to prevent them from falling over. Stored containers should be periodically checked for general condition and leakage. Keep container below 50°C in a well ventilated place. Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible materials.
7.3. Specific end use(s)	
	None

None.

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
OEL (Occupational Exposure Limits)	: None available.	
DNEL (Derived-No Effect Level)	: None available.	
PNEC (Predicted No-Effect Concentration)	: None available.	
8.2. Exposure controls		
8.2.1. Appropriate engineering controls		
	Provide adequate general and local exhaust ventilation. Systems under pressure should be regularily checked for leakages. Oxygen detectors should be used when asphyxiating gases may be released. Consider the use of a work permit system e.g. for maintenance activities.	
8.2.2. Individual protection measures, e.g. perso	onal protective equipment	
	A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered: PPE compliant to the recommended EN/ISO standards should be selected.	
Eye/face protection	: Wear safety glasses with side shields. Standard EN 166 - Personal eve-protection - specifications.	
Skin protection		



ARCAL 1, ARCAL Prime

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA003A-ARC

- Hand protection	: Wear working gloves when handling gas containers. Standard EN 388 - Protective gloves against mechanical risk, performance level 1 or higher.
- Other	 Wear safety shoes while handling containers. Standard EN ISO 20345 - Personal protective equipment - Safety footwear.
Respiratory protection	: Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask.
	Self contained breathing apparatus (SCBA) or positive pressure airline with mask are to be used in oxygen-deficient atmospheres.
	Self contained breathing apparatus is recommended, where unknown exposure may be expected, e.g. during maintenance activities on installation systems.
Thermal hazards	: None in addition to the above sections.
8.2.3. Environmental exposure controls	
	None necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
- Physical state at 20°C / 101.3kPa	: Gas
- Colour	: Colourless.
Odour	: No odour warning properties.
	Odour threshold is subjective and inadequate to warn of overexposure.
pH	: Not applicable for gases and gas mixtures.
Melting point / Freezing point	: -189 °C
Boiling point	: -186 °C
Flash point	: Not applicable for gases and gas mixtures.
Flammability	: Non flammable.
Explosive limits	: Non flammable.
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Vapour pressure [20°C]	: Not applicable.
Vapour pressure [50°C]	: Not applicable.
Density	: Not applicable
Vapour density	: Not applicable.
Relative density, liquid (water=1)	: Not applicable.
Relative density, gas (air=1)	: 1,38
Water solubility	: 67,3 mg/l
Partition coefficient n-octanol/water (Log Kow)	: Not applicable for inorganic products.
Auto-ignition temperature	: Non flammable.
Decomposition temperature	: Not applicable.
Viscosity, kinematic	: No reliable data available.
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes			
Oxidising properties Critical temperature [°C]	: No oxidising properties. : -122 °C		
9.2.2. Other safety characteristics			
Molar mass	: 40 g/mol		
Other data	: Gas/vapour heavier than air. May accumulate in		

: Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.



ARCAL 1, ARCAL Prime

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA003A-ARC

SECTION 10: Stability and reactivity 10.1. Reactivity No reactivity hazard other than the effects described in sub-sections below. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reactions None. 10.4. Conditions to avoid Avoid moisture in installation systems. 10.5. Incompatible materials For additional information on compatibility refer to ISO 11114. 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	: No known toxicological effects from this product.
Skin corrosion/irritation	: No known effects from this product.
Serious eye damage/irritation	: No known effects from this product.
Respiratory or skin sensitisation	: No known effects from this product.
Germ cell mutagenicity	: No known effects from this product.
Carcinogenicity	: No known effects from this product.
Toxic for reproduction : Fertility	: No known effects from this product.
Toxic for reproduction : unborn child	: No known effects from this product.
STOT-single exposure	: No known effects from this product.
STOT-repeated exposure	: No known effects from this product.
Aspiration hazard	: Not applicable for gases and gas mixtures.
11.2 Information on other hazards	

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity	
Assessment	: No ecological damage caused by this product.
EC50 48h - Daphnia magna [mg/l]	: No data available.
EC50 72h - Algae [mg/l]	: No data available.
LC50 96 h - Fish [mg/l]	: No data available.
12.2. Persistence and degradability	
Assessment	: No ecological damage caused by this product.
12.3. Bioaccumulative potential	
Assessment	: No ecological damage caused by this product.
<u>12.4. Mobility in soil</u>	
Assessment	: No ecological damage caused by this product.



SECTION 13: Disposal considerations

Safety Data Sheet

ARCAL 1, ARCAL Prime

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA003A-ARC

12.5. Results of PBT and vPvB assessment			
Assessment	: Not classified as PBT or vPvB.		
12.6. Endocrine disrupting properties			
No additional information available			
12.7. Other adverse effects			
Other adverse effects	: No known effects from this product.		
Effect on the ozone layer	: No effect on the ozone layer.		
Effect on global warming	: None.		

13.1. Waste treatment methods	
List of hazardous waste codes (from Commission Decision 2000/532/EC as amended)	 May be vented to atmosphere in a well ventilated place. Do not discharge into any place where its accumulation could be dangerous. Return unused product in original container to supplier. 16 05 05 : Gases in pressure containers other than those mentioned in 16 05 04.
13.2. Additional information	
	External treatment and disposal of waste should comply with applicable local and/or national regulations.

14.1. UN number or ID number	
n accordance with ADR / RID / IMDG / IATA / / JN-No.	ADN : 1006
14.2. UN proper shipping name	
Transport by road/rail (ADR/RID)	: ARGON, COMPRESSED
Transport by air (ICAO-TI / IATA-DGR)	: Argon, compressed
Transport by sea (IMDG)	: ARGON, COMPRESSED
14.3. Transport hazard class(es)	
Labelling	
	2.2 : Non-flammable, non-toxic gases.
Transport by road/rail (ADR/RID)	
Class	: 2
Classification code	: 1A
Hazard identification number Tunnel Restriction	: 20 : E - Passage forbidden through tunnels of category E
Transport by air (ICAO-TI / IATA-DGR)	. L - r assage forbidden through turners of category L
Class / Div. (Sub. risk(s))	: 2.2
Transport by sea (IMDG)	
Class / Div. (Sub. risk(s))	: 2.2
Emergency Schedule (EmS) - Fire	: F-C
Emergency Schedule (EmS) - Spillage	: S-V
14.4. Packing group	
Transport by road/rail (ADR/RID)	: Not established.
Transport by air (ICAO-TI / IATA-DGR)	: Not established.



ARCAL 1, ARCAL Prime

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA003A-ARC

Transport by sea (IMDG)	: Not established.
14.5. Environmental hazards	
Transport by road/rail (ADR/RID)	: None.
Transport by air (ICAO-TI / IATA-DGR)	: None.
Transport by sea (IMDG)	: None.
14.6. Special precautions for user	
Packing Instruction(s)	
Transport by road/rail (ADR/RID)	: P200
Transport by air (ICAO-TI / IATA-DGR)	
Passenger and Cargo Aircraft	: 200.
Cargo Aircraft only	: 200.
Transport by sea (IMDG)	: P200
Special transport precautions	: Avoid transport on vehicles where the load space is not separated from the driver's
	compartment.
	Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.
	Before transporting product containers:
	- Ensure there is adequate ventilation.
	- Ensure that containers are firmly secured.
	- Ensure valve is closed and not leaking.
	- Ensure valve outlet cap nut or plug (where provided) is correctly fitted.
	- Ensure valve protection device (where provided) is correctly fitted.
14.7. Maritime transport in bulk according t	o IMO instruments

Not applicable.

SECTION 15: Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
EU-Regulations			
Restrictions on use	: None.		
Seveso Directive : 2012/18/EU (Seveso III)	: Not covered.		
National regulations			
Regulatory reference	: Ensure all national/local regulations are observed.		
15.2. Chemical safety assessment			
	A CSA does not need to be carried out for this product.		

SECTION 16: Other information

Indication of changes

: Revised safety data sheet in accordance with commission regulation (EU) No 453/2010.

Section	Changed item	Change	Comments
	Reference number	Modified	
	Supersedes	Modified	
	Revision date	Modified	
	Uses advised against	Modified	
2.3	Other hazards which do not result in classification	Modified	
8.2	Respiratory protection	Modified	



ARCAL 1, ARCAL Prime

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA003A-ARC

9.1	Oxidising properties		Modified		
9.1	Flash point		Removed		
Abbreviations and	acronyms	: ATE - Acute	e Toxicity Estimate		
-		CLP - Class	sification Labelling Packa	aging Regulation; Regulation (EC) No 1272/2008	
		REACH - R	egistration, Evaluation, A	Authorisation and Restriction of Chemicals Regulation	
		(EC) No 19	07/2006		
				kisting Commercial Chemical Substances	
			emical Abstract Service r		
			onal Protection Equipme		
			al Concentration to 50 %		
			Management Measures		
		PBT - Persistent, Bioaccumulative and Toxic			
		vPvB - Very Persistent and Very Bioaccumulative			
		STOT- SE : Specific Target Organ Toxicity - Single Exposure			
			nical Safety Assessment ean Standard	l	
		UN - United			
				ning the International Carriage of Dangerous Goods by	
		Road	pean Agreement concer	Thing the international Carnage of Dangerous Coous by	
			national Air Transport As	ssociation	
			e - International Maritime		
				Iternational Carriage of Dangerous Goods by Rail	
			er Hazard Class		
		STOT - RE	: Specific Target Organ	Toxicity - Repeated Exposure	
			e Formula Identifier		
Training advice		: The hazard training.	of asphyxiation is often	overlooked and must be stressed during operator	
		For more gu		SL 01 "Dangers of Asphyxiation", downloadable at	
Further informatio	n	•	on in accordance with the	e procedures and calculation methods of Regulation	
		Key literatu	re references and source	es of data are maintained in EIGA doc 169 : downloadable at http://www.Eiga.eu .	

Full text of H- and EUH-statements		
H280	Contains gas under pressure; may explode if heated.	
Press. Gas (Comp.)	Gases under pressure : Compressed gas	
DISCLAIMER OF LIABILITY	: Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.	

Details given in this document are believed to be correct at the time of going to press. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.

End of document