

Neon

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA086A-ALBNL Issue date: 1-7-2017 Revision date: 1-1-2022 Supersedes version of: 1-7-2017 Version: 5.0

Warning



1.1. Product identifier	
Trade name SDS no Other means of identification	: Neon : EIGA086A-ALBNL : Neon CAS-No. : 7440-01-9 EC-No. : 231-110-9 EC Index-No. :
REACH registration No	: Listed in Annex IV / V REACH, exempted from registration.
Chemical formula	: Ne
1.2. Relevant identified uses of the substa	ance or mixture and uses advised against
Relevant identified uses Uses advised against	 Industrial and professional uses. Perform risk assessment prior to use. Test gas/Calibration gas. Laser gas. Insulation material in glazing. Lighting. Consumer use. Uses other than those listed above are not supported, contact your supplier for more information on other uses.
1.3. Details of the supplier of the safety da	ata sheet
THE NETHERLANDS: AIR LIQUIDE BV De Witbogt 1 5652 AG Eindhoven the Netherlands-Nederland	
BELGIUM: L'AIR LIQUIDE BELGE S.A./N.V. Avenue de Bourget / Bourgetlaan 44 1130 Bruxelles-Brussel Belgium-Belgique-België	
LUXEMBURG: L'AIR LIQUIDE LUXEMBOURG S.A. ZONE P.E.DB.P.20 L-4801 RODANGE Luxemburg	
infosafetydatasheet.albv@airliquide.com www.airliquide-benelux.com	

1.4. Emergency telephone number

Emergency telephone number

: NL: +31 (0)40 250 35 03 / BE: +32 (0)2 431 72 00 / LUX: +352 50 62 63 1



Neon

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA086A-ALBNL

Country	Organisation/Company	Address	Emergency number	Comment
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 1120 Bruxelles/Brussel	+32 70 245 245	Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)
Luxembourg	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 1120 Bruxelles/Brussel	+352 8002 5500	Free telephone number with a 24/7 access. Experts answer all urgency questions on dangerous products in French, or German
Netherlands	Nationaal Vergiftigingen Informatie Centrum	Huispostnummer B.00.118 Postbus 85500 3508 GA Utrecht	+31 88 755 80 00	Only for the purpose of informing medical personnel in cases of acute intoxications

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

olassification according			
Physical hazards	Gases under pressure : Co	ompressed gas H280	
2.2. Label elements			
Labelling according to F	Regulation (EC) No. 1272/200	008 [CLP]	
Hazard pictograms (CLP)		GHS04	
Signal word (CLP)	:	Warning	
Hazard statements (CLP)	:	H280 - Contains gas under pressure; may explode if heated.	
Precautionary statements	(CLP)		
- Storage		P403 - Store in a well-ventilated place.	
2.3. Other hazards			
		Asphyxiant in high concentrations.	

Asphyxiant in high concentrations. The substance/mixture has no endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.1. Substances



Neon

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA086A-ALBNL

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Neon	CAS-No.: 7440-01-9 EC-No.: 231-110-9 EC Index-No.: REACH registration No: *1	100	Press. Gas (Comp.), H280

Contains no other components or impurities which will influence the classification of the product.

*1: Listed in Annex IV / V REACH, exempted from registration.

*3: Registration not required: Substance manufactured or imported < 1t/y. Not established.

3.2. Mixtures

SECTION 4: First aid measures	
4.1. Description of first aid measures	

- Inhalation	: Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep
	victim warm and rested. Call a doctor. Perform cardiopulmonary resuscitation if breathing
	stopped.
- Skin contact	: Adverse effects not expected from this product.
- Eye contact	: Adverse effects not expected from this product.
- Ingestion	: Ingestion is not considered a potential route of exposure.

In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. See section 11.

spray jet from a protected position. Prevent water used in emergency cases from entering

4.3. Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
- Suitable extinguishing media	: Water spray or fog. Product does not burn, use fire control measures appropriate for the surrounding fire.	
- Unsuitable extinguishing media	: Do not use water jet to extinguish.	
5.2. Special hazards arising from the su	bstance or mixture	
Specific hazards Hazardous combustion products	Exposure to fire may cause containers to rupture/explode.None.	
5.3. Advice for firefighters		
Specific methods	: Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat radiation may cause gas receptacles to rupture. Cool endangered receptacles with water	

sewers and drainage systems. If possible, stop flow of product.

Use water spray or fog to knock down fire fumes if possible.

Move containers away from the fire area if this can be done without risk.



Neon

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA086A-ALBNL

Special protective equipment for fire fighters	 In confined space use self-contained breathing apparatus. Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters. Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask. Standard EN 469 - Protective clothing for firefighters. Standard - EN 659: Protective gloves for firefighters.

6.1. Personal precautions, protective equipment and emergency procedures For non-emergency personnel : Act in accordance with local emergency plan. Try to stop release. Evacuate area. Ensure adequate air ventilation. Stay upwind. See section 8 of the SDS for more information on personal protective equipment For emergency responders : Wear self-contained breathing apparatus when entering area unless atmosphere is proto be safe. Oxygen detectors should be used when asphyxiating gases may be released. See section 5.3 of the SDS for more information. 6.2. Environmental precautions Try to stop release. 6.3. Methods and material for containment and cleaning up Ventilate area. Ventilate area. 6.4. Reference to other sections See also sections 8 and 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling	SECTION 6: Accidental release measures		
Try to stop release. Evacuate area. Evacuate area. Ensure adequate air ventilation. Stay upwind. See section 8 of the SDS for more information on personal protective equipment For emergency responders : Wear self-contained breathing apparatus when entering area unless atmosphere is prito be safe. Oxygen detectors should be used when asphyxiating gases may be released. See section 5.3 of the SDS for more information. 6.2. Environmental precautions Try to stop release. 6.3. Methods and material for containment and cleaning up Ventilate area. 6.4. Reference to other sections See also sections 8 and 13.	6.1. Personal precautions, protective e	quipment and emergency procedures	
Evacuate area. Ensure adequate air ventilation. Stay upwind. See section 8 of the SDS for more information on personal protective equipment Wear self-contained breathing apparatus when entering area unless atmosphere is pri- to be safe. Oxygen detectors should be used when asphyxiating gases may be released. See section 5.3 of the SDS for more information. 6.2. Environmental precautions Try to stop release. 6.3. Methods and material for containment and cleaning up Ventilate area. 6.4. Reference to other sections See also sections 8 and 13. SECTION 7: Handling and storage	For non-emergency personnel	: Act in accordance with local emergency plan.	
Ensure adequate air ventilation. Stay upwind. See section 8 of the SDS for more information on personal protective equipment For emergency responders : Wear self-contained breathing apparatus when entering area unless atmosphere is pro- to be safe. Oxygen detectors should be used when asphyxiating gases may be released. See section 5.3 of the SDS for more information. 6.2. Environmental precautions Try to stop release. 6.3. Methods and material for containment and cleaning up Ventilate area. 6.4. Reference to other sections See also sections 8 and 13. SECTION 7: Handling and storage			
Stay upwind. See section 8 of the SDS for more information on personal protective equipment For emergency responders : Wear self-contained breathing apparatus when entering area unless atmosphere is proto be safe. Oxygen detectors should be used when asphyxiating gases may be released. See section 5.3 of the SDS for more information. See section 5.3 of the SDS for more information. 6.2. Environmental precautions Try to stop release. 6.3. Methods and material for containment and cleaning up Ventilate area. 6.4. Reference to other sections See also sections 8 and 13. SECTION 7: Handling and storage See also sections 8 and 13.			
See section 8 of the SDS for more information on personal protective equipment For emergency responders Wear self-contained breathing apparatus when entering area unless atmosphere is proto be safe. Oxygen detectors should be used when asphyxiating gases may be released. See section 5.3 of the SDS for more information. 6.2. Environmental precautions Try to stop release. 6.3. Methods and material for containment and cleaning up Ventilate area. Ventilate area. 6.4. Reference to other sections See also sections 8 and 13. SECTION 7: Handling and storage Environmental storage			
For emergency responders : Wear self-contained breathing apparatus when entering area unless atmosphere is protoble by to be safe. Oxygen detectors should be used when asphyxiating gases may be released. See section 5.3 of the SDS for more information. 6.2. Environmental precautions Try to stop release. 6.3. Methods and material for containment and cleaning up Ventilate area. Ventilate area. 6.4. Reference to other sections See also sections 8 and 13. SECTION 7: Handling and storage Sections 8 and 13.			
to be safe. Oxygen detectors should be used when asphyxiating gases may be released. See section 5.3 of the SDS for more information. 6.2. Environmental precautions Try to stop release. 6.3. Methods and material for containment and cleaning up Ventilate area. 6.4. Reference to other sections See also sections 8 and 13. SECTION 7: Handling and storage			
Oxygen detectors should be used when asphyxiating gases may be released. See section 5.3 of the SDS for more information. 6.2. Environmental precautions Try to stop release. 6.3. Methods and material for containment and cleaning up Ventilate area. 6.4. Reference to other sections See also sections 8 and 13.	For emergency responders		
See section 5.3 of the SDS for more information. 6.2. Environmental precautions Try to stop release. 6.3. Methods and material for containment and cleaning up Ventilate area. 6.4. Reference to other sections See also sections 8 and 13. SECTION 7: Handling and storage			
6.2. Environmental precautions Try to stop release. 6.3. Methods and material for containment and cleaning up Ventilate area. 6.4. Reference to other sections See also sections 8 and 13. SECTION 7: Handling and storage			
Try to stop release. 6.3. Methods and material for containment and cleaning up Ventilate area. 6.4. Reference to other sections See also sections 8 and 13. SECTION 7: Handling and storage	6.2. Environmental precautions		
6.4. Reference to other sections See also sections 8 and 13. SECTION 7: Handling and storage	<u> </u>	Try to stop release.	
6.4. Reference to other sections See also sections 8 and 13. SECTION 7: Handling and storage	6.3. Methods and material for containn	nent and cleaning up	
See also sections 8 and 13. SECTION 7: Handling and storage		Ventilate area.	
SECTION 7: Handling and storage	6.4. Reference to other sections		
		See also sections 8 and 13.	
7.1. Precautions for safe handling	SECTION 7: Handling and stora	age	
	7.1. Precautions for safe handling		
Safe use of the product : Do not breathe gas.	Safe use of the product	: Do not breathe das.	
Avoid release of product into work area.		•	
The product must be handled in accordance with good industrial hygiene and safety			

Only experienced and properly instructed persons should handle gases under pressure.

Use only properly specified equipment which is suitable for this product, its supply pressure

Ensure the complete gas system was (or is regularily) checked for leaks before use.

Consider pressure relief device(s) in gas installations.

and temperature. Contact your gas supplier if in doubt.

Do not smoke while handling product.

Avoid suck back of water, acid and alkalis.

procedures.



Neon

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA086A-ALBNL

Safe handling of the gas receptacle	 Refer to supplier's container handling instructions. Do not allow backfeed into the container. Protect containers from physical damage; do not drag, roll, slide or drop. When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. If user experiences any difficulty operating valve discontinue use and contact supplier. Never attempt to repair or modify container valves or safety relief devices. Damaged valves should be reported immediately to the supplier. Keep container valve outlets clean and free from contaminants particularly oil and water. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment. Close container valve after each use and when empty, even if still connected to equipment. Never attempt to transfer gases from one cylinder/container to another. Never use direct flame or electrical heating devices to raise the pressure of a container. Do not remove or deface labels provided by the supplier for the identification of the content of the container. Suck back of water into the container must be prevented.
	Open valve slowly to avoid pressure shock.
7.2. Conditions for safe storage, including any inc	compatibilities
	Observe all regulations and local requirements regarding storage of containers. Containers should not be stored in conditions likely to encourage corrosion. Container valve guards or caps should be in place. Containers should be stored in the vertical position and properly secured to prevent them from falling over. Stored containers should be periodically checked for general condition and leakage. Keep container below 50°C in a well ventilated place. Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible materials.
7.3. Specific end use(s)	
	None.

9.1. Control parameters	
8.1. Control parameters	
OEL (Occupational Exposure Limits)	: None available.
DNEL (Derived-No Effect Level)	: None available.
PNEC (Predicted No-Effect Concentration)	: None available.
8.2. Exposure controls	
8.2.1. Appropriate engineering controls	
	Provide adequate general and local exhaust ventilation.
	Systems under pressure should be regularily checked for leakages.
	Oxygen detectors should be used when asphyxiating gases may be released.
	Consider the use of a work permit system e.g. for maintenance activities.
8.2.2. Individual protection measures, e.g. per	sonal protective equipment
	A risk assessment should be conducted and documented in each work area to assess the
	risks related to the use of the product and to select the PPE that matches the relevant risk
	The following recommendations should be considered:
	PPE compliant to the recommended EN/ISO standards should be selected.
Eye/face protection	: Wear safety glasses with side shields.
	Standard EN 166 - Personal eye-protection - specifications.
Skin protection	



Neon

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA086A-ALBNL

- Hand protection	: Wear working gloves when handling gas containers.
- Other	 Standard EN 388 - Protective gloves against mechanical risk, performance level 1 or higher. Wear safety shoes while handling containers. Standard EN ISO 20345 - Personal protective equipment - Safety footwear.
Respiratory protection	: Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask.
	Self contained breathing apparatus (SCBA) or positive pressure airline with mask are to be used in oxygen-deficient atmospheres.
	Self contained breathing apparatus is recommended, where unknown exposure may be expected, e.g. during maintenance activities on installation systems.
Thermal hazards	: None in addition to the above sections.
8.2.3. Environmental exposure controls	
	None necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
- Physical state at 20°C / 101.3kPa	: Gas
- Colour	: Colourless.
Odour	: No odour warning properties.
	Odour threshold is subjective and inadequate to warn of overexposure.
pH	: Not applicable for gases and gas mixtures.
Melting point / Freezing point	: -249 °C
Boiling point	: -246 °C
Flash point	: Not applicable for gases and gas mixtures.
Flammability	: Non flammable.
Explosive limits	: Non flammable.
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Vapour pressure [20°C]	: Not applicable.
Vapour pressure [50°C]	: Not applicable.
Density	: Not applicable
Vapour density	: Not applicable.
Relative density, liquid (water=1)	: Not applicable.
Relative density, gas (air=1)	: 0,7
Water solubility	: 8,9 mg/l
Partition coefficient n-octanol/water (Log Kow)	: Not applicable for inorganic products.
Auto-ignition temperature	: Non flammable.
Decomposition temperature	: Not applicable.
Viscosity, kinematic	: No reliable data available.
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes		
Oxidising properties Critical temperature [°C]	: No oxidising properties. : -229 °C	
9.2.2. Other safety characteristics		
Molar mass	: 20,18 g/mol	

SECTION 10: Stability and reactivity

10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below.



Neon

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA086A-ALBNL

10.2. Chemical stability	
	Stable under normal conditions.
10.3. Possibility of hazardous reactions	
	None.
10.4. Conditions to avoid	
	Avoid moisture in installation systems.
10.5. Incompatible materials	
	For additional information on compatibility refer to ISO 11114.
10.6. Hazardous decomposition products	
	None.

SECTION 11: Toxicological information			
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008			
Acute toxicity	: No known toxicological effects from this product.		
Skin corrosion/irritation	: No known effects from this product.		
Serious eye damage/irritation	: No known effects from this product.		
Respiratory or skin sensitisation	: No known effects from this product.		
Germ cell mutagenicity	: No known effects from this product.		
Carcinogenicity	: No known effects from this product.		
Toxic for reproduction : Fertility	: No known effects from this product.		
Toxic for reproduction : unborn child	: No known effects from this product.		
STOT-single exposure	: No known effects from this product.		
STOT-repeated exposure	: No known effects from this product.		
Aspiration hazard	: Not applicable for gases and gas mixtures.		
11.2. Information on other hazards			
Other information	: The substance/mixture has no endocrine disrupting properties.		

SECTION 12: Ecological information

12.1. Toxicity

Assessment EC50 48h - Daphnia magna [mg/l]	 No ecological damage caused by this product. No data available.
EC50 72h - Algae [mg/l] LC50 96 h - Fish [mg/l]	: No data available. : No data available.
12.2. Persistence and degradability	
Assessment	: No ecological damage caused by this product.
12.3. Bioaccumulative potential	
Assessment	: No ecological damage caused by this product.
<u>12.4. Mobility in soil</u>	
Assessment	: No ecological damage caused by this product.
12.5. Results of PBT and vPvB assessment	
Assessment	: Not classified as PBT or vPvB.
12.6. Endocrine disrupting properties	
No additional information available	



Neon

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA086A-ALBNL

12.7. Other adverse effects

Other adverse effects Effect on the ozone layer Effect on global warming

- : No known effects from this product.
- : No effect on the ozone layer.
- : None.

SECTION 13: Disposal co	onsiderations

13.1. Waste treatment methods

	May be vented to atmosphere in a well ventilated place. Do not discharge into any place where its accumulation could be dangerous. Return unused product in original container to supplier.
List of hazardous waste codes (from Commission Decision 2000/532/EC as amended)	: 16 05 05 : Gases in pressure containers other than those mentioned in 16 05 04.

13.2. Additional information

External treatment and disposal of waste should comply with applicable local and/or national regulations.

SECTION 14: Transport information	
14.1. UN number or ID number	
In accordance with ADR / RID / IMDG / IATA / AD	Ν
UN-No.	: 1065
14.2. UN proper shipping name	
Transport by road/rail (ADR/RID)	: NEON, COMPRESSED
Transport by air (ICAO-TI / IATA-DGR)	: Neon, compressed
Transport by sea (IMDG)	: NEON, COMPRESSED
14.3. Transport hazard class(es)	
Labelling	
Labering	
	2.2 : Non-flammable, non-toxic gases.
Transport by road/rail (ADR/RID)	2.2. Nor-hammable, nor-lovic gases.
Class	: 2
Classification code	: 1A
Hazard identification number	: 20
Tunnel Restriction	: E - Passage forbidden through tunnels of category E
Transport by air (ICAO-TI / IATA-DGR)	
Class / Div. (Sub. risk(s))	: 2.2
Transport by sea (IMDG)	
Class / Div. (Sub. risk(s))	: 2.2
Emergency Schedule (EmS) - Fire	: F-C
Emergency Schedule (EmS) - Spillage	: S-V
14.4. Packing group	
Transport by road/rail (ADR/RID)	: Not established.
Transport by air (ICAO-TI / IATA-DGR)	: Not established.
Transport by sea (IMDG)	: Not established.
14.5. Environmental hazards	
Transport by road/rail (ADR/RID)	: None.
Transport by air (ICAO-TI / IATA-DGR)	: None.
Transport by sea (IMDG)	: None.



: P200

: 200.

: 200.

: P200

Neon

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA086A-ALBNL

14.6. Special precautions for user

Packing Instruction(s)

Transport by road/rail (ADR/RID) Transport by air (ICAO-TI / IATA-DGR) Passenger and Cargo Aircraft Cargo Aircraft only Transport by sea (IMDG)

Special transport precautions

: Avoid transport on vehicles where the load space is not separated from the driver's compartment.

Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.

- Before transporting product containers:
- Ensure there is adequate ventilation.
- Ensure that containers are firmly secured.
- Ensure valve is closed and not leaking.
- Ensure valve outlet cap nut or plug (where provided) is correctly fitted.
- Ensure valve protection device (where provided) is correctly fitted.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
EU-Regulations			
Restrictions on use	: None.		
Seveso Directive : 2012/18/EU (Seveso III)	: Not covered.		
National regulations			
Regulatory reference	: Ensure all national/local regulations are observed.		
15.2. Chemical safety assessment			
	A CSA does not need to be carried out for this product.		

SECTION 16: Other information

Indication of changes

: Revised safety data sheet in accordance with commission regulation (EU) No 453/2010.

Section	Changed item	Change	Comments
	UN-No. (RID)	Added	
	Reference number	Modified	
	Supersedes	Modified	
	Revision date	Modified	
	Relevant identified uses	Modified	
2.3	Other hazards which do not result in classification	Modified	
8.2	Respiratory protection	Modified	
9.1	Oxidising properties	Modified	
9.1	Flash point	Removed	
11.1	Other information	Added	



Neon

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: EIGA086A-ALBNL

14.3	Danger labels (RID)		Added	
Abbreviations	and acronyms	CLP - Class REACH - R (EC) No 19 EINECS - E CAS# - Che PPE - Pers LC50 - Lett RMM - Risk PBT - Pers vPvB - Very STOT- SE CSA - Cher EN - Europ UN - United ADR - Euro Road IATA - Inter IMDG code RID - Regu	 ATE - Acute Toxicity Estimate CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 EINECS - European Inventory of Existing Commercial Chemical Substances CAS# - Chemical Abstract Service number PPE - Personal Protection Equipment LC50 - Lethal Concentration to 50 % of a test population RMM - Risk Management Measures PBT - Persistent, Bioaccumulative and Toxic vPvB - Very Persistent and Very Bioaccumulative STOT- SE : Specific Target Organ Toxicity - Single Exposure CSA - Chemical Safety Assessment EN - European Standard UN - United Nations ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road IATA - International Air Transport Association IMDG code - International Maritime Dangerous Goods RID - Regulations concerning the International Carriage of Dangerous Goods by Rail WGK - Water Hazard Class 	
Training advice		UFI : Uniqu	e Formula Identifier	Toxicity - Repeated Exposure overlooked and must be stressed during operator
Further inform	nation	For more g http://www. : Classificatio (EC) 1272/3 Key literatu	eiga.eu. on in accordance with the 2008 (CLP). re references and source	SL 01 "Dangers of Asphyxiation", downloadable at e procedures and calculation methods of Regulation es of data are maintained in EIGA doc 169 : downloadable at http://www.Eiga.eu.

Full text of H- and EUH-statements		
H280 Contains gas under pressure; may explode if heated.		
Press. Gas (Comp.)	Gases under pressure : Compressed gas	
DISCLAIMER OF LIABILITY	: Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.	

Details given in this document are believed to be correct at the time of going to press. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.

End of document