

**Lunploro****NOAL\_M4600M20R5A  
001**

Country : DK / Language : EN

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**Trade name : Lunploro  
SDS no : NOAL\_M4600M20R5A001**1.2. Relevant identified uses of the substance or mixture and uses advised against**Relevant identified uses : Medical applications.  
Contact supplier for more information on uses.  
Uses advised against : Consumer use.  
Uses other than those listed above are not supported, contact your supplier for more information on other uses.**1.3. Details of the supplier of the safety data sheet****Company identification****Supplier**AIR LIQUIDE Denmark A/S  
Uraniavej 6  
8700 Horsens - DENMARK  
T +45 76 25 25 25

E-Mail address (competent person) : eunordic-sds@airliquide.com

**1.4. Emergency telephone number**

Country	Organisation/Company	Address	Emergency number	Comment
Denmark	Giftlinjen Bispebjerg Hospital	Bispebjerg Bakke 23E Opgang 20 C 2400	+45 82 12 12 12	

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**Physical hazards : Gases under pressure : Compressed gas H280  
Health hazards : Reproductive toxicity, Category 1A H360D**2.2. Label elements****Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



GHS04


GHS08

Signal word (CLP) :

: Danger

Hazard statements (CLP) :

: H280 - Contains gas under pressure; may explode if heated.  
H360D - May damage the unborn child.

	<b>SAFETY DATA SHEET</b>	Page : 2/13
		Revised edition no : 1.0
		Compilation date : 2025/09/05
		Supersedes version of :
<b>Lunploro</b>		<b>NOAL_M4600M20R5A 001</b>
		Country : DK / Language : EN

Precautionary statements (CLP)

- |   |   |
|---|---|
| <p>- Prevention</p> <p>- Response</p> <p>- Storage</p> <p>- Disposal considerations</p> <p>Supplemental information</p> | <p>: P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.</p> <p>P201 - Obtain special instructions before use.</p> <p>P202 - Do not handle until all safety precautions have been read and understood.</p> <p>: P308+P313 - IF exposed or concerned: Get medical advice/attention.</p> <p>: P405 - Store locked up.</p> <p>P410+P403 - Protect from sunlight. Store in a well-ventilated place.</p> <p>: P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</p> <p>: Restricted to professional users.</p> |
|---|---|

**2.3. Other hazards**

Mixture does not contain substance (s) classified as PBT or vPvB in concentrations above 0,1 weight %.

The substance/mixture has no endocrine disrupting properties.

The mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Mixture does not contain substance(s) classified as PMT or vPvM in concentrations above 0.1 weight %.


**SECTION 3: Composition/information on ingredients**

**3.1. Substances**

Not established.

**3.2. Mixtures**

Name	Product identifier	Composition [V-%]:	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Nitrogen	CAS-No.: 7727-37-9 EC-No.: 231-783-9 EC Index-No.: --- REACH-no: *1	78.1	Press. Gas (Comp.), H280
Oxygen	CAS-No.: 7782-44-7 EC-No.: 231-956-9 EC Index-No.: 008-001-00-8 REACH-no: *1	21	Ox. Gas 1, H270 Press. Gas (Comp.), H280
Carbon monoxide	CAS-No.: 630-08-0 EC-No.: 211-128-3 EC Index-No.: 006-001-00-2 REACH-no: 01-2119480165-39	0.3	Flam. Gas 1B, H221 Press. Gas (Comp.), H280 Acute Tox. 3 (Inhalation:gas), H331 (ATE=1300 ppmv/4h) Repr. 1A, H360D STOT RE 1, H372
Methane	CAS-No.: 74-82-8 EC-No.: 200-812-7 EC Index-No.: 601-001-00-4 REACH-no: 01-2119474442-39	0.3	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
Acetylene (dissolved)	CAS-No.: 74-86-2 EC-No.: 200-816-9 EC Index-No.: 601-015-00-0 REACH-no: 01-2119457406-36	0.3	Flam. Gas 1A - Chem. Unst. Gas A, H220;H230 Press. Gas (Diss.), H280

	<b>SAFETY DATA SHEET</b>	Page : 3/13
		Revised edition no : 1.0
		Compilation date : 2025/09/05
		Supersedes version of :
<b>Lunploro</b>		<b>NOAL_M4600M20R5A 001</b>
		Country : DK / Language : EN

Full text of H- and EUH-statements: see section 16

Contains no other components or impurities which will influence the classification of the product.

\*1: Listed in Annex IV / V REACH, exempted from registration.

\*3: Registration not required: Substance manufactured or imported < 1t/y.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- Inhalation : Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Perform cardiopulmonary resuscitation if breathing stopped.  
Allow affected person to breathe fresh air.  
Allow the victim to rest.
- Skin contact : Adverse effects not expected from this product.  
Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- Eye contact : Adverse effects not expected from this product.  
Rinse immediately with plenty of water.  
Obtain medical attention if pain, blinking or redness persists.
- Ingestion : Ingestion is not considered a potential route of exposure.  
Rinse mouth.  
Do NOT induce vomiting.  
Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See section 11.

### 4.3. Indication of any immediate medical attention and special treatment needed

None.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media


- Suitable extinguishing media : Water spray or fog.  
Foam.  
Dry powder.  
Carbon dioxide.  
Water spray.  
Sand.  
Product does not burn, use fire control measures appropriate for the surrounding fire.
- Unsuitable extinguishing media : Do not use water jet to extinguish.  
Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

- Specific hazards : Exposure to fire may cause containers to rupture/explode.
- Hazardous combustion products : Carbon monoxide.

### 5.3. Advice for firefighters

- Specific methods : Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat radiation may cause gas receptacles to rupture. Cool endangered receptacles with water spray jet from a protected position. Prevent water used in emergency cases from entering sewers and drainage systems.  
If possible, stop flow of product.  
Use water spray or fog to knock down fire fumes if possible.  
Move containers away from the fire area if this can be done without risk.

	<b>SAFETY DATA SHEET</b>	Page : 4/13
		Revised edition no : 1.0
		Compilation date : 2025/09/05
		Supersedes version of :
<b>Lunploro</b>		<b>NOAL_M4600M20R5A 001</b>
		Country : DK / Language : EN

Special protective equipment for fire fighters : Wear gas tight chemically protective clothing in combination with self contained breathing apparatus.  
Standard EN 943-2: Protective clothing against liquid and gaseous chemicals, aerosols and solid particles. Gas-tight chemical protective suits for emergency teams.  
Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : Act in accordance with local emergency plan.  
Evacuate area.  
Ensure adequate air ventilation.  
Stay upwind.  
See section 8 of the SDS for more information on personal protective equipment  
Evacuate unnecessary personnel

For emergency responders : Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe.  
See section 5.3 of the SDS for more information.  
Ventilate area

### 6.2. Environmental precautions

Prevent entry to sewers and public waters.  
Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Ventilate area.


### 6.4. Reference to other sections

See also sections 8 and 13.  
See Section 8.  
Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Safe use of the product : Do not breathe gas.  
Avoid release of product into atmosphere.  
The product must be handled in accordance with good industrial hygiene and safety procedures.  
Only experienced and properly instructed persons should handle gases under pressure.  
Consider pressure relief device(s) in gas installations.  
Ensure the complete gas system was (or is regularly) checked for leaks before use.  
Do not smoke while handling product.  
Avoid exposure, obtain special instructions before use.  
Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt.  
Use only oxygen approved lubricants and oxygen approved sealings.  
Avoid suck back of water, acid and alkalis.

	<b>SAFETY DATA SHEET</b>	Page : 5/13
		Revised edition no : 1.0
		Compilation date : 2025/09/05
		Supersedes version of :
<b>Lunploro</b>		<b>NOAL_M4600M20R5A 001</b>
		Country : DK / Language : EN

Safe handling of the gas receptacle

: Do not allow backfeed into the container.  
 Protect containers from physical damage; do not drag, roll, slide or drop.  
 When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders.  
 Leave valve protection caps, when provided, in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use.  
 If user experiences any difficulty operating valve discontinue use and contact supplier.  
 Never attempt to repair or modify container valves or safety relief devices.  
 Damaged valves should be reported immediately to the supplier.  
 Keep container valve outlets clean and free from contaminants particularly oil and water.  
 Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment.  
 Close container valve after each use and when empty, even if still connected to equipment.  
 Never attempt to transfer gases from one cylinder/container to another.  
 Never use direct flame or electrical heating devices to raise the pressure of a container.  
 Do not remove or deface labels provided by the supplier for the identification of the content of the container.  
 Suck back of water into the container must be prevented.  
 Open valve slowly to avoid pressure shock.

### 7.2. Conditions for safe storage, including any incompatibilities

Store locked up.  
 Observe all regulations and local requirements regarding storage of containers.  
 Containers should not be stored in conditions likely to encourage corrosion.  
 Container valve guards or caps, when provided, should be in place.  
 Containers should be stored in the vertical position and properly secured to prevent them from falling over.  
 Stored containers should be periodically checked for general condition and leakage.  
 Keep container below 50°C in a well ventilated place.  
 Store containers in location free from fire risk and away from sources of heat and ignition.  
 Keep away from combustible materials.

### 7.3. Specific end use(s)

None.


## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

<b>Carbon monoxide (630-08-0)</b>	
<b>Denmark - Occupational Exposure Limits</b>	
Local name	Carbonmonoxid (Kulilte; Kulmonoxid)
OEL TWA	23 mg/m <sup>3</sup>
	20 ppm
OEL STEL	117 mg/m <sup>3</sup>
	100 ppm
Remark	E (betyder, at stoffet har en EU-grænseværdi)
Regulatory reference	BEK nr 1619 af 19/12/2024

### **Carbon monoxide (630-08-0)**

DNEL: Derived no effect level (Workers)

	<b>SAFETY DATA SHEET</b>	Page : 6/13
		Revised edition no : 1.0
		Compilation date : 2025/09/05
		Supersedes version of :
<b>Lunploro</b>		<b>NOAL_M4600M20R5A 001</b>
		Country : DK / Language : EN

Acute - local effects, inhalation	117 ppm
Acute - systemic effects, inhalation	117 mg/m <sup>3</sup>
Long-term - local effects, inhalation	23 ppm
Long-term - systemic effects, inhalation	23 mg/m <sup>3</sup>

PNEC (Predicted No-Effect Concentration) : None established.

## **8.2. Exposure controls**

### **8.2.1. Appropriate engineering controls**

Product to be handled in a closed system and under strictly controlled conditions.  
 Provide adequate general and local exhaust ventilation.  
 Preferably use permanent leak-tight installations (e.g. welded pipes).  
 Systems under pressure should be regularly checked for leakages.  
 Ensure exposure is below occupational exposure limits (where available).  
 Consider the use of a work permit system e.g. for maintenance activities.

### **8.2.2. Individual protection measures, e.g. personal protective equipment**

A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk.  
 The following recommendations should be considered:

PPE compliant to the recommended EN/ISO standards should be selected.

• Eye/face protection

: Wear safety glasses with side shields.  
 Chemical goggles or safety glasses.  
 Standard EN 166 - Personal eye-protection - specifications.

• Skin protection  
 - Hand protection

: Wear working gloves when handling gas containers.  
 Wear protective gloves.  
 Standard EN 388 - Protective gloves against mechanical risks, performance level 1 or higher. Recommended types include wrist gloves from leather or synthetic material with equivalent performance, fabric gloves, fabric gloves with leather palms.

- Other

: Wear safety shoes while handling containers.  
 Standard EN ISO 20345 - Personal protective equipment - Safety footwear.  
 Do not eat, drink or smoke during use.

• Respiratory protection

: Wear appropriate mask.  
 Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask.  
 Consult respiratory device supplier's product information for the selection of the appropriate device.  
 When indicated by a risk assessment, Respiratory Protective Equipment must be used. The selection of the Respiratory Protective Device (RPD) must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected RPD.  
 Keep self contained breathing apparatus readily available for emergency use.  
 Self contained breathing apparatus is recommended, where unknown exposure may be expected, e.g. during maintenance activities on installation systems.

• Thermal hazards

: None in addition to the above sections.


### **8.2.3. Environmental exposure controls**

Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.

## **SECTION 9: Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

Appearance

	<b>SAFETY DATA SHEET</b>	Page : 7/13
		Revised edition no : 1.0
		Compilation date : 2025/09/05
		Supersedes version of :
<b>Lunploro</b>		<b>NOAL_M4600M20R5A 001</b>
		Country : DK / Language : EN

- Physical state at 20°C / 101.3kPa	: Gas
- Colour	: Colourless
Odour	: characteristic Odour threshold is subjective and inadequate to warn of overexposure.
pH	: Not applicable for gases and gas mixtures.
Melting point / Freezing point	: Not applicable for gases and gas mixtures.
Boiling point	: Not applicable for gas mixtures.
Flash point	: Not applicable for gases and gas mixtures.
Flammability	: Non flammable.
Explosive limits	: Not available
Lower explosion limit	: Not applicable.
Upper explosion limit	: Not applicable.
Vapour pressure [20°C]	: Not applicable for compressed gases and gas mixtures.
Vapour pressure [50°C]	: Not applicable for compressed gases and gas mixtures.
Density	: Not applicable for gases and gas mixtures.
Vapour density	: Not applicable for gases and gas mixtures.
Relative density, liquid (water=1)	: Not applicable
Relative density, gas (air=1)	: Lighter or similar to air.
Water solubility	: No reliable data available.
Partition coefficient n-octanol/water (Log Kow)	: Not applicable for gas mixtures.
Auto-ignition temperature	: Non flammable.
Decomposition temperature	: Not applicable.
Viscosity, kinematic	: Not applicable for gases and gas mixtures.
Particle characteristics	: Not applicable for gases and gas mixtures. Nanoforms are not relevant for gases and gas mixtures

## 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

Oxidising properties : No oxidising properties.

### 9.2.2. Other safety characteristics

Other data : None.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Data for mixtures are not available.

### 10.2. Chemical stability


Stable under normal conditions.  
Not established.

### 10.3. Possibility of hazardous reactions

Reactivity : Not established.  
: This mixture contains components with the following reactivity : Can form explosive mixture with air. May react violently with oxidants. May decompose violently at high temperature and/or pressure or in the presence of a catalyst. May react explosively even in the absence of air. Violently oxidises organic material.

### 10.4. Conditions to avoid

Avoid moisture in installation systems.  
Direct sunlight.  
Extremely high or low temperatures.

	<b>SAFETY DATA SHEET</b>	Page : 8/13
		Revised edition no : 1.0
		Compilation date : 2025/09/05
		Supersedes version of :
<b>Lunploro</b>		<b>NOAL_M4600M20R5A 001</b>
		Country : DK / Language : EN

#### 10.5. Incompatible materials

Strong acids.  
Strong bases.  
For additional information on compatibility refer to ISO 11114.

#### 10.6. Hazardous decomposition products

fume.  
Carbon monoxide.  
Carbon dioxide.  
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Classification criteria are not met.

#### **Carbon monoxide (630-08-0)**

LC50 Inhalation - Rat [ppm]	3760 ppm/1h (ADR) 1300 ppm/4h (CLP)
-----------------------------	--

**Skin corrosion/irritation** : No known effects from this product.  
**Serious eye damage/irritation** : No known effects from this product.  
**Respiratory or skin sensitisation** : No known effects from this product.  
**Germ cell mutagenicity** : No known effects from this product.  
**Carcinogenicity** : No known effects from this product.  
**Toxic for reproduction : Fertility** : No known effects from this product.  
**Toxic for reproduction : unborn child** : May damage the unborn child.  
**STOT-single exposure** : No known effects from this product.  
**STOT-repeated exposure** : Classification criteria are not met.  
**Aspiration hazard** : Not applicable for gases and gas mixtures.

#### 11.2. Information on other hazards

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.  
Other information : The substance/mixture has no endocrine disrupting properties.


### SECTION 12: Ecological information

#### 12.1. Toxicity

Assessment : Classification criteria are not met.  
EC50 48h - Daphnia magna [mg/l] : No data available.  
EC50 72h - Algae [mg/l] : No data available.  
LC50 96 h - Fish [mg/l] : No data available.

#### **Methane (74-82-8)**

EC50 48h - Daphnia magna [mg/l]	69.4 mg/l
EC50 72h - Algae [mg/l]	19.4 mg/l
LC50 96 h - Fish [mg/l]	147.5 mg/l

	<b>SAFETY DATA SHEET</b>	Page : 9/13
		Revised edition no : 1.0
		Compilation date : 2025/09/05
		Supersedes version of :
<b>Lunploro</b>		<b>NOAL_M4600M20R5A 001</b>
		Country : DK / Language : EN

#### Acetylene (dissolved) (74-86-2)

EC50 48h - Daphnia magna [mg/l]	242 mg/l
EC50 72h - Algae [mg/l]	57 mg/l
LC50 96 h - Fish [mg/l]	545 mg/l

#### 12.2. Persistence and degradability

Assessment : No data available.  
Not established.

#### 12.3. Bioaccumulative potential

Assessment : No data available.  
Not established.

#### 12.4. Mobility in soil

Assessment : Because of its high volatility, the product is unlikely to cause ground or water pollution.  
Partition into soil is unlikely.

#### 12.5. Results of PBT and vPvB assessment

Assessment : Not classified as PBT or vPvB.

#### 12.6. Endocrine disrupting properties

The substance/mixture has no endocrine disrupting properties.

#### 12.7. Other adverse effects

Other adverse effects : Not classified as PMT or vPvM.  
Effect on the ozone layer : No effect on the ozone layer.  
Effect on global warming : Contains greenhouse gas(es).

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Contact supplier if guidance is required.  
Must not be discharged to atmosphere.  
Ensure that the emission levels from local regulations or operating permits are not exceeded.  
Refer to the EIGA code of practice Doc.30 "Disposal of Gases", downloadable at <http://www.eiga.org> for more guidance on suitable disposal methods.  
Return unused product in original container to supplier.

List of hazardous waste codes (from Commission Decision 2000/532/EC as amended) : 16 05 05 : Gases in pressure containers other than those mentioned in 16 05 04.


#### 13.2. Additional information

External treatment and disposal of waste should comply with applicable local and/or national regulations.

### SECTION 14: Transport information

#### 14.1. UN number or ID number

In accordance with ADR / RID / IMDG / IATA / ADN  
UN-No. : 1956

	<b>SAFETY DATA SHEET</b>	Page : 10/13
		Revised edition no : 1.0
		Compilation date : 2025/09/05
		Supersedes version of :
<b>Lunploro</b>		<b>NOAL_M4600M20R5A 001</b>
		Country : DK / Language : EN

**14.2. UN proper shipping name**

**Transport by road/rail/inland waterways (ADR/RID/ADN)** : COMPRESSED GAS, N.O.S.  
**Transport by air (ICAO-TI / IATA-DGR)** : Compressed gas, n.o.s.  
**Transport by sea (IMDG)** : COMPRESSED GAS, N.O.S.

**14.3. Transport hazard class(es)**

**Labelling**



2.2 : Non-flammable, non-toxic gases.

**Transport by road/rail/inland waterways (ADR/RID/ADN)**

Class : 2  
 Classification code : 1A  
 Hazard identification number : 20  
 Tunnel Restriction : E - Passage forbidden through tunnels of category E

**Transport by air (ICAO-TI / IATA-DGR)**

Class / Div. (Sub. risk(s)) : 2.2

**Transport by sea (IMDG)**

Class / Div. (Sub. risk(s)) : 2.2  
 Emergency Schedule (EmS) - Fire : F-C  
 Emergency Schedule (EmS) - Spillage : S-V

**14.4. Packing group**

**Transport by road/rail/inland waterways (ADR/RID/ADN)** : Not established.  
**Transport by air (ICAO-TI / IATA-DGR)** : Not established.  
**Transport by sea (IMDG)** : Not established.

**14.5. Environmental hazards**

**Transport by road/rail/inland waterways (ADR/RID/ADN)** : None.  
**Transport by air (ICAO-TI / IATA-DGR)** : None.  
**Transport by sea (IMDG)** : None.


**14.6. Special precautions for user**

**Packing Instruction(s)**

**Transport by road/rail/inland waterways (ADR/RID/ADN)** : P200  
**Transport by air (ICAO-TI / IATA-DGR)**  
     Passenger and Cargo Aircraft : 200.  
     Cargo Aircraft only : 200.  
**Transport by sea (IMDG)** : P200

**Special transport precautions**

: Avoid transport on vehicles where the load space is not separated from the driver's compartment.  
 Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.  
 Before transporting product containers:  
 - Ensure there is adequate ventilation.  
 - Ensure that containers are firmly secured.  
 - Ensure valve is closed and not leaking.  
 - Ensure valve outlet cap nut or plug (where provided) is correctly fitted.  
 - Ensure valve protection device (where provided) is correctly fitted.

	<b>SAFETY DATA SHEET</b>	Page : 11/13
		Revised edition no : 1.0
		Compilation date : 2025/09/05
		Supersedes version of :
<b>Lunploro</b>		<b>NOAL_M4600M20R5A 001</b>
		Country : DK / Language : EN

**14.7. Maritime transport in bulk according to IMO instruments**

Not applicable.

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU-Regulations**

Restrictions on use : Restricted to professional users (Annex XVII REACH).  
Contains no substance(s) listed on the REACH Candidate List

Seveso Directive : 2012/18/EU (Seveso III) : Not covered.

**National regulations**

Ensure all national/local regulations are observed.

**Denmark**

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product


**15.2. Chemical safety assessment**

A CSA does not need to be carried out for this product.  
No chemical safety assessment has been carried out.

**SECTION 16: Other information**

Indication of changes : Safety data sheet in accordance with commission regulation (EU) No 2020/878.

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

	<b>SAFETY DATA SHEET</b>	Page : 12/13
		Revised edition no : 1.0
		Compilation date : 2025/09/05
		Supersedes version of :
<b>Lunploro</b>		<b>NOAL_M4600M20R5A 001</b>
		Country : DK / Language : EN

**Abbreviations and acronyms**

: ATE - Acute Toxicity Estimate  
 CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008  
 REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006  
 EINECS - European Inventory of Existing Commercial Chemical Substances  
 CAS# - Chemical Abstract Service number  
 PPE - Personal Protection Equipment  
 LC50 - Lethal Concentration to 50 % of a test population  
 RMM - Risk Management Measures  
 PBT - Persistent, Bioaccumulative and Toxic  
 vPvB - Very Persistent and Very Bioaccumulative  
 STOT- SE : Specific Target Organ Toxicity - Single Exposure  
 CSA - Chemical Safety Assessment  
 EN - European Standard  
 UN - United Nations  
 ADR - Agreement concerning the International Carriage of Dangerous Goods by Road  
 IATA - International Air Transport Association  
 IMDG code - International Maritime Dangerous Goods  
 RID - Regulations concerning the International Carriage of Dangerous Goods by Rail  
 WGK - Water Hazard Class  
 STOT - RE : Specific Target Organ Toxicity - Repeated Exposure  
 UFI : Unique Formula Identifier  
 ADN -International Carriage of Dangerous Goods by Inland Waterways  
 PROC -Process category

ERC – Environmental release category  
 PMT - Persistent, Mobile and Toxic  
 vPvM – very Persistent and very Mobile

**Training advice**


: None.

**Further information**

: None.

Classification using data from databases maintained by the European Industrial Gases Association (EIGA). Data is maintained in EIGA doc 169 : 'Classification and Labelling Guide', downloadable at : <http://www.eiga.eu>.  
 Classification in accordance with the procedures and calculation methods of Regulation (EC) 1272/2008 (CLP).

<b>Full text of H- and EUH-statements</b>	
Acute Tox. 3 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 3
Flam. Gas 1A	Flammable gases, Category 1A
Flam. Gas 1A - Chem. Unst. Gas A	Flammable gases, Category 1A, Chemically unstable gas A
Flam. Gas 1B	Flammable gases, Category 1B
Ox. Gas 1	Oxidising Gases, Category 1
Press. Gas (Comp.)	Gases under pressure : Compressed gas
Press. Gas (Diss.)	Gases under pressure : Dissolved gas
Repr. 1A	Reproductive toxicity, Category 1A
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
H220	Extremely flammable gas.
H221	Flammable gas.
H230	May react explosively even in the absence of air.
H270	May cause or intensify fire; oxidiser.

	<b>SAFETY DATA SHEET</b>	Page : 13/13
		Revised edition no : 1.0
		Compilation date : 2025/09/05
		Supersedes version of :
<b>Lunploro</b>		<b>NOAL_M4600M20R5A 001</b>
		Country : DK / Language : EN
H280	Contains gas under pressure; may explode if heated.	
H331	Toxic if inhaled.	
H360D	May damage the unborn child.	
H372	Causes damage to organs through prolonged or repeated exposure.	

The classification complies with  
DISCLAIMER OF LIABILITY

: ATP 12  
: Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.  
Details given in this document are believed to be correct at the time of going to press.  
Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.

**End of document**