Air	Lia	luide	

SAFETY DATA SHEET

Page : 1/11

Revised edition no : 4.0 Revision date : 2023-01-23

Supersedes version of : 2021-07-13

Arcal 15

NOAL_1012 UFI: 4WS2-J0E2-800V-1FH2 Country : FI / Language : EN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name SDS no	 Arcal 15, 5%H2 / AR, ALPHAGAZ MIX 5% H2/ 95% Ar, ALPHAGAZ MIX H2 5%/AR NOAL_1012 UFI: 4WS2-J0E2-800V-1FH2
1.2. Relevant identified uses of the substance or	r mixture and uses advised against
Relevant identified uses	 Industrial and professional uses. Perform risk assessment prior to use. Industrial and professional use for chemical analysis, calibration, (routine) quality control, laboratory use, under controlled conditions. Contact supplier for more information on uses.
Uses advised against	: Consumer use. Uses other than those listed above are not supported, contact your supplier for more information on other uses.
1.3. Details of the supplier of the safety data she	<u>bet</u>
Company identification	
Supplier AIR LIQUIDE FINLAND OY Yrttipellontie 1 C 3 krs. 90230 OULU - FINLAND T +353 20 779 0580 info.finland@airliquide.com	
E-Mail address (competent person)	: eunordic-sds@airliquide.com
1.4. Emergency telephone number	
Emergency telephone number	 FI: Myrkytystietokeskus: 09-471 977 (suora) tai 09-4711 (vaihde) / EN: Poison Information Centre: 09-471 977 (direct) or 09-4711 (switchboard) Availability (24 / 7)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]				
Physical hazards	Flammable gases, Category 1B			
Gases under pressure : Compressed gas				

2.2. Label elements

Labelling	according	to Red	gulation	(EC) No.	1272/2008	ICLP1

Hazard pictograms (CLP)

GHS04 GHS02 : Danger

H221 H280

	SAFETY DATA SHEET	Page : 2/11
Air Liquide		Revised edition no : 4.0
C HII LIQUIDE		Revision date : 2023-01-23
		Supersedes version of : 2021-07-13
	Arcal 15	NOAL_1012 UFI: 4WS2-J0E2-800V- 1FH2
		Country : FI / Language : EN
Hazard statements (CLP)	: H221 - Flammable gas. H280 - Contains gas under pressure; may explode if heated.	
Precautionary statements (CLP)		
Prevention	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
Response	 P377 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely. P381 - In case of leakage, eliminate all ignition sources. 	
Storage	: P403 - Store in a well-ventilated place.	
2.3. Other hazards		
	None.	
	Not classified as PBT or vPvB.	
	The substance/mixture has no endocrine disrupti	ng properties.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not established.

3.2. Mixtures

Name	Product identifier	Composition [V- %]:	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Argon	CAS-No.: 7440-37-1 EC-No.: 231-147-0 EC Index-No.: REACH-no: *1	95	Press. Gas (Comp.), H280
Hydrogen	CAS-No.: 1333-74-0 EC-No.: 215-605-7 EC Index-No.: 001-001-00-9 REACH-no: *1	5	Flam. Gas 1A, H220 Press. Gas (Comp.), H280

Full text of H- and EUH-statements: see section 16

Contains no other components or impurities which will influence the classification of the product.

*1: Listed in Annex IV / V REACH, exempted from registration.

*3: Registration not required: Substance manufactured or imported < 1t/y.

SECTION 4: First aid measures 4.1. Description of first aid measures - Inhalation : Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Perform cardiopulmonary resuscitation if breathing stopped.

- Skin contact : Adverse effects not expected from this product. - Eye contact : Adverse effects not expected from this product. - Ingestion : Ingestion is not considered a potential route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

See section 11.

4.3. Indication of any immediate medical attention and special treatment needed

None.

	SAFETY DATA SHEET	Page : 3/11	
Air Liquide		Revised edition no : 4.0	
		Revision date : 2023-01-23	
		Supersedes version of : 2021-07-13	
	Arcal 15	NOAL_1012	
		UFI: 4WS2-J0E2-800V-	
		1FH2	
		Country : FI / Language : EN	
SECTION 5: Firefighting measu	ires		
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray or fog.		
Unsuitable extinguishing media	: Carbon dioxide.		
	Do not use water jet to extinguish.		
5.2. Special hazards arising from the s	ubstance or mixture		
Specific hazards	: Exposure to fire may cause containers to rupture/exp	lode.	
lazardous combustion products	: None.		
5.3. Advice for firefighters			
Specific methods	radiation may cause gas receptacles to rupture. Cool spray jet from a protected position. Prevent water use sewers and drainage systems. If possible, stop flow of product. Use water spray or fog to knock down fire fumes if po Do not extinguish a leaking gas flame unless absolut re-ignition may occur. Extinguish any other fire.	If possible, stop flow of product. Use water spray or fog to knock down fire fumes if possible. Do not extinguish a leaking gas flame unless absolutely necessary. Spontaneous/explosive	
Special protective equipment for fire fight	 In confined space use self-contained breathing apparatus. Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters. Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with fi face mask. Standard EN 469 - Protective clothing for firefighters. Standard - EN 659: Protective glove for firefighters. 		

SECTION 6: Accidental release measures	s
----------------------------------------	---

6.1. Personal precautions, protective equipmen	t and emergency procedures
For non-emergency personnel	 Act in accordance with local emergency plan. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Stay upwind. See section 8 of the SDS for more information on personal protective equipment
For emergency responders	: See section 5.3 of the SDS for more information.
6.2. Environmental precautions	
	Try to stop release.
6.3. Methods and material for containment and	cleaning up
	Ventilate area.
6.4 Potoronco to other sections	

6.4. Reference to other sections

See also sections 8 and 13.

O Air Liquide	SAFETY DATA SHEET	Page : 4/11 Revised edition no : 4.0 Revision date : 2023-01-23		
		Supersedes version of : 2021-07-13		
	Arcal 15	NOAL_1012 UFI: 4WS2-J0E2-800V- 1FH2		
		Country : FI / Language : EN		
SECTION 7: Handling and sto	prage			
7.1. Precautions for safe handling				
Safe use of the product	 Do not breathe gas. Avoid release of product into atmosphere. The product must be handled in accordance with g procedures. Only experienced and properly instructed persons Consider pressure relief device(s) in gas installatic Ensure the complete gas system was (or is regula Do not smoke while handling product. Use only properly specified equipment which is su and temperature. Contact your gas supplier if in do Avoid suck back of water, acid and alkalis. Assess the risk of potentially explosive atmosphere equipment. Purge air from system before introducing gas. Take precautionary measures against static discha Keep away from ignition sources (including static o Consider the use of only non-sparking tools. 	should handle gases under pressure. ons. rily) checked for leaks before use. itable for this product, its supply pressure bubt. es and the need for explosion-proof arge.		
Safe handling of the gas receptacle	 Ensure equipment is adequately earthed. Refer to supplier's container handling instructions. Do not allow backfeed into the container. Protect containers from physical damage; do not d When moving cylinders, even for short distances, a designed to transport cylinders. Leave valve protection caps in place until the container wall or bench or placed in a container stand and is If user experiences any difficulty operating valve d Never attempt to repair or modify container valves Damaged valves should be reported immediately t Keep container valve outlets clean and free from c Replace valve outlet caps or plugs and container of is disconnected from equipment. Close container valve after each use and when em Never attempt to transfer gases from one cylinder/ Never use direct flame or electrical heating device: Do not remove or deface labels provided by the su of the container. 	 Consider the use of only non-sparking tools. Ensure equipment is adequately earthed. Refer to supplier's container handling instructions. Do not allow backfeed into the container. Protect containers from physical damage; do not drag, roll, slide or drop. When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. If user experiences any difficulty operating valve discontinue use and contact supplier. Never attempt to repair or modify container valves or safety relief devices. Damaged valves should be reported immediately to the supplier. Keep container valve outlets clean and free from contaminants particularly oil and water. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment. Close container valve after each use and when empty, even if still connected to equipment. Never attempt to transfer gases from one cylinder/container to another. Never use direct flame or electrical heating devices to raise the pressure of a container. 		
7.2. Conditions for safe storage, incl				
	Observe all regulations and local requirements reg Containers should not be stored in conditions likely Container valve guards or caps should be in place Containers should be stored in the vertical position from falling over. Stored containers should be periodically checked f Keep container below 50°C in a well ventilated pla Store containers in location free from fire risk and a Keep away from combustible materials. Segregate from oxidant gases and other oxidants	y to encourage corrosion. In and properly secured to prevent them for general condition and leakage. ce. away from sources of heat and ignition.		

All electrical equipment in the storage areas should be compatible with the risk of a potentially explosive atmosphere.

	SAFETY DATA SHEET	Page : 5/11	
Air Liquide		Revised edition no : 4.0	
e Hi Liquide		Revision date : 2023-01-23	
		Supersedes version of : 2021-07-13	
	Arcal 15	NOAL_1012 UFI: 4WS2-J0E2-800V 1FH2	
		Country : FI / Language : EN	
7.3. Specific end use(s)	None.		
SECTION 8: Exposure contro	ls/personal protection		
8.1. Control parameters			
OEL (Occupational Exposure Limits)	: None available.		
DNEL (Derived-No Effect Level)	: None available.		
PNEC (Predicted No-Effect Concentration	ion) : None available.		
8.2. Exposure controls			
8.2.1. Appropriate engineering contro	bls		
	Provide adequate general and local exhaust venti Product to be handled in a closed system. Systems under pressure should be regularily che Gas detectors should be used when flammable ga Consider the use of a work permit system e.g. for	ecked for leakages. ases/vapours may be released.	
8.2.2. Individual protection measures	s, e.g. personal protective equipment		
• Eye/face protection	A risk assessment should be conducted and docu risks related to the use of the product and to selec The following recommendations should be consid PPE compliant to the recommended EN/ISO stan : Wear safety glasses with side shields. Standard EN 166 - Personal eye-protection - spec	ct the PPE that matches the relevant risk. lered: dards should be selected.	
 Skin protection Hand protection 		: Wear working gloves when handling gas containers. Standard EN 388 - Protective gloves against mechanical risk, performance level 1 or higher	
- Other	: Consider the use of flame resistant anti-static safe Standard EN ISO 14116 - Limited flame spread m Standard EN 1149-5 - Protective clothing: Electro Wear safety shoes while handling containers.	 Standard EN 388 - Protective gloves against mechanical risk, performance level 1 or higher. Consider the use of flame resistant anti-static safety clothing. Standard EN ISO 14116 - Limited flame spread materials. Standard EN 1149-5 - Protective clothing: Electrostatic properties. Wear safety shoes while handling containers. Standard EN ISO 20345 - Personal protective equipment - Safety footwear. 	
 Respiratory protection 	 Standard EN 137 - Self-contained open-circuit conface mask. When indicated by a risk assessment, Respiratory selection of the Respiratory Protective Device (RF anticipated exposure levels, the hazards of the preselected RPD. Self contained breathing apparatus is recommend expected, e.g. during maintenance activities on in None necessary. 	mpressed air breathing apparatus with full y Protective Equipment must be used. The PD) must be based on known or oduct and the safe working limits of the ded, where unknown exposure may be	
Thermal hazards	: None in addition to the above sections.		
8.2.3. Environmental exposure contro	ols Refer to local regulations for restriction of emissio specific methods for waste gas treatment.	ns to the atmosphere. See section 13 for	

	SAFETY DATA SHEET	Page : 6/11 Revised edition no : 4.0		
Air Liquide		Revision date : 2023-01-23		
-		Supersedes version of : 2021-07-13		
	Areal 45			
	Arcal 15	NOAL_1012 UFI: 4WS2-J0E2-800V- 1FH2		
		Country : FI / Language : EN		
SECTION 9: Physical and ch	emical properties			
9.1. Information on basic physical a	and chemical properties			
Appearance				
- Physical state at 20°C / 101.3kPa				
- Colour Odour	: Colourless : Odourless.			
Cubul	Odour threshold is subjective and inadequate to war	n of overexposure		
рН	: Not applicable for gases and gas mixtures.			
Melting point / Freezing point	: Not applicable for gas mixtures.			
Boiling point	: Not applicable for gas mixtures.			
Flash point	: Not applicable for gases and gas mixtures.			
Flammability	: Extremely flammable gas			
Explosive limits	: Flammability range not available.			
Lower explosion limit	: Not available			
Upper explosion limit	: Not available			
Vapour pressure [20°C]	: Not applicable.			
Vapour pressure [50°C] Density	: Not applicable.			
Vapour density	: Not applicable : Not applicable for gases and gas mixtures.			
Relative density, liquid (water=1)	: Not applicable for gases and gas mixtures.			
Relative density, gas (air=1)	: Heavier than air.			
Water solubility	 Solubility in water of component(s) of the mixture : Hydrogen: 1.6 mg/l Argon: 67.3 mg/l 			
Partition coefficient n-octanol/water (Lo	og Kow) : Not applicable for gas mixtures.			
Auto-ignition temperature	: Not known.			
Decomposition temperature	: Not applicable.			
Viscosity, kinematic	: No reliable data available.			
Particle characteristics	: Not applicable for gases and gas mixtures.			
9.2. Other information				
9.2.1. Information with regard to phy				
Explosive properties	: Not applicable.			
Oxidising properties	: Not applicable.			
9.2.2. Other safety characteristics				
Molar mass	: Not applicable for gas mixtures.			
Evaporation rate	: Not applicable for gases and gas mixtures.			
Other data	: Gas/vapour heavier than air. May accumulate in con	: Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below		
	ground level.			
SECTION 10: Stability and re	eactivity			
10.1. Reactivity				
	··· // ··· / ··· ··· ···			
	No reactivity hazard other than the effects described	i in sub-sections below.		
10.2. Chemical stability				
	Stable under normal conditions.			
10.3. Possibility of hazardous react	ions			
	Can form explosive mixture with air.			
	May react violently with oxidants.			
Reactivity		: This mixture contains components with the following reactivity : Can form explosive mixture $% \left({{{\mathbf{x}}_{i}}} \right)$		
	with air. May react violently with oxidants.			

	SAFETY DATA SHEET	Page : 7/11
O Air Liquide	SALETT DATA SHEET	Revised edition no : 4.0
		Revision date : 2023-01-23
		Supersedes version of : 2021-07-13
Arcal 15		NOAL 1012
		UFI: 4WS2-J0E2-800V-
		1FH2
		Country : FI / Language : EN
10.4. Conditions to avoid		·
	Keep away from heat, hot surfaces, sparks, open	flames and other ignition sources. No
	smoking.	
	Avoid moisture in installation systems.	
10.5. Incompatible materials		
	Air, Oxidisers.	
	For additional information on compatibility refer to	ISO 11114.
10.6. Hazardous decomposition pr	oducts	
	Under normal conditions of storage and use, haza be produced.	rdous decomposition products should not

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	: No toxicological effects from this product.
Skin corrosion/irritation	: No known effects from this product.
Serious eye damage/irritation	: No known effects from this product.
Respiratory or skin sensitisation	: No known effects from this product.
Germ cell mutagenicity	: No known effects from this product.
Carcinogenicity	: No known effects from this product.
Toxic for reproduction : Fertility	: No known effects from this product.
Toxic for reproduction : unborn child	: No known effects from this product.
STOT-single exposure	: No known effects from this product.
STOT-repeated exposure	: No known effects from this product.
Aspiration hazard	: Not applicable for gases and gas mixtures.
11.2. Information on other hazards	
Other information	: The substance/mixture has no endocrine disrupting properties.

SECTION 12: Ecological information		
12.1. Toxicity		
Assessment	: No ecological damage caused by this product.	
EC50 48h - Daphnia magna [mg/l] EC50 72h - Algae [mg/l]	: No data available. : No data available.	
LC50 96 h - Fish [mg/l]	: No data available.	
12.2. Persistence and degradability		
Assessment	: No ecological damage caused by this product.	
12.3. Bioaccumulative potential		
Assessment	: No data available.	
<u>12.4. Mobility in soil</u>		
Assessment	: Because of its high volatility, the product is unlikely to cause ground or water pollution. Partition into soil is unlikely.	
12.5. Results of PBT and vPvB assessment	<u>t</u>	
Assessment	: Not classified as PBT or vPvB.	

	SAFETY DATA SHEET	Page : 8/11
Air Liquide	SALETT DATA SHEET	Revised edition no : 4.0
HirLiquide		Revision date : 2023-01-23
		Supersedes version of : 2021-07-13
Arcal 15		NOAL_1012 UFI: 4WS2-J0E2-800V 1FH2
		Country : FI / Language : EN
12.6. Endocrine disrupting propertie	<u>s</u>	
	The substance/mixture has no endocrine disru	pting properties.
<u>12.7. Other adverse effects</u>		
Other adverse effects	: No known effects from this product.	
Effect on the ozone layer	: None.	
Effect on global warming	: Contains greenhouse gas(es).	
SECTION 13: Disposal consid	derations	
List of hazardous waste codes (from Co Decision 2000/532/EC as amended)	Contact supplier if guidance is required. Do not discharge into areas where there is a ri Waste gas should be flared through a suitable Do not discharge into any place where its accu Ensure that the emission levels from local regu exceeded. Refer to the EIGA code of practice Doc.30 "Dis http://www.eiga.org for more guidance on suita Return unused product in original container to ommission : 16 05 04 *: Gases in pressure containers (inclu- substances.	burner with flash back arrestor. Imulation could be dangerous. Ilations or operating permits are not sposal of Gases", downloadable at able disposal methods. supplier.
13.2. Additional information		
	External treatment and disposal of waste shou	ld comply with applicable local and/or
	national regulations.	
SECTION 14: Transport infor		
SECTION 14: Transport infor 14.1. UN number or ID number In accordance with ADR / RID / IMDG /	mation	

14.2. UN proper shipping name

Transport by road/rail (ADR/RID) Transport by air (ICAO-TI / IATA-DGR) Transport by sea (IMDG) : COMPRESSED GAS, FLAMMABLE, N.O.S. (Hydrogen, Argon) : Compressed gas, flammable, n.o.s. (Hydrogen, Argon)

: COMPRESSED GAS, FLAMMABLE, N.O.S. (Hydrogen, Argon)

14.3. Transport hazard class(es)

Transport by road/rail (ADR/RID)

Labelling

Class

: 2 2.1 : Flammable gases. 2 : 1F

- : 23
 - : B/D Tank carriage : Passage forbidden through tunnels of category B, C, D and E. Other carriage : Passage forbidden through tunnels of category D and E

Transport by air (ICAO-TI / IATA-DGR)

Class / Div. (Sub. risk(s))

Hazard identification number

Classification code

Tunnel Restriction

: 2.1

Air Liquide	SAFETY DATA SHEET	Page : 9/11	
	SALLIT DATA SILLI	Revised edition no : 4.0	
		Revision date : 2023-01-23	
		Supersedes version of : 2021-07-13	
I	Arcal 15	NOAL_1012 UFI: 4WS2-J0E2-800V 1FH2	
		Country : FI / Language : EN	
r ansport by sea (IMDG) Class / Div. (Sub. risk(s)) Emergency Schedule (EmS) - Fire Emergency Schedule (EmS) - Spillage	: 2.1 : F-D : S-U		
4.4. Packing group			
ransport by road/rail (ADR/RID) ransport by air (ICAO-TI / IATA-DGR) ransport by sea (IMDG)	Not established.Not established.Not established.Not established.		
4.5. Environmental hazards			
ransport by road/rail (ADR/RID) ransport by air (ICAO-TI / IATA-DGR) ransport by sea (IMDG)	: None. : None. : None.		
4.6. Special precautions for user			
Packing Instruction(s) Fransport by road/rail (ADR/RID) Fransport by air (ICAO-TI / IATA-DGR) Passenger and Cargo Aircraft Cargo Aircraft only Fransport by sea (IMDG)	: P200 : Forbidden. : 200. : P200		
pecial transport precautions	 Avoid transport on vehicles where the load space compartment. Ensure vehicle driver is aware of the potential haz the event of an accident or an emergency. Before transporting product containers: Ensure there is adequate ventilation. Ensure that containers are firmly secured. Ensure valve is closed and not leaking. Ensure valve outlet cap nut or plug (where provided) 	ards of the load and knows what to do in deal of the load and knows what to do in deal of the load and knows what to do in deal of the load and knows what to do in deal of the load and knows what to do in deal of the load and knows what to do in deal of the load and knows what to do in	

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations Restrictions on use : None. Contains no substance(s) listed on the REACH Candidate List National legislation : Ensure all national/local regulations are observed. Seveso Directive : 2012/18/EU (Seveso III) : Covered. National regulations Ensure all national/local regulations are observed. Germany Water hazard class (WGK) : WGK nwg, Non-hazardous to water (Classification according to AwSV, Annex 1) National Rules and Recommendations : [German regulations] BetriebssicherheitsV mit TRBSen insbesondere TRBS 3145 / TRGS 725 Ortsbewegliche Druckgasbehälter", TRBS 2141, BGRegel 500 Teil 2.33: "Umgang mit Gasen", GefahrstoffV mit Technischen Regeln Gefährliche Stoffe TRGS insbesondere TRGS 407 "Tätigkeiten mit Gasen - Gefährdungsbeurteilung", TRGS 400, 500, 510, 900." BGR 104, TRBS 2152.

	SAFETY DATA SHEET	Page : 10/11 Revised edition no : 4.0	
O Air Liquide			
		Revision date : 2023-01-23	
		Supersedes version of : 2021-07-13	
Arcal 15		NOAL 1012	
		UFI: 4WS2-J0E2-800V-	
		1FH2	
		Country : FI / Language : EN	
Netherlands			
SZW-lijst van kankerverwekkende stoffe	n : None of the components are listed		
SZW-lijst van mutagene stoffen	: None of the components are listed	: None of the components are listed	
SZW-lijst van reprotoxische stoffen – Boi	rstvoeding : None of the components are listed		
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed		
SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed			
Denmark			
Danish National Regulations : Young people below the age of 18 years are not allo		owed to use the product	
Switzerland			
Storage class (LK)	: LK 2 - Liquefied or pressurized gases		
15.2. Chemical safety assessment			
	A CSA does not need to be carried out for this prod	uct.	

Indication of changes	: Safety data sheet in accordance with commission regulation (EU) No 2020/878.
Abbreviations and acronyms	: ATE - Acute Toxicity Estimate CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
	EINECS - European Inventory of Existing Commercial Chemical Substances CAS# - Chemical Abstract Service number
	PPE - Personal Protection Equipment LC50 - Lethal Concentration to 50 % of a test population RMM - Risk Management Measures
	PBT - Persistent, Bioaccumulative and Toxic vPvB - Very Persistent and Very Bioaccumulative
	STOT- SE : Specific Target Organ Toxicity - Single Exposure CSA - Chemical Safety Assessment
	EN - European Standard UN - United Nations ADR - European Agreement concerning the International Carriage of Dangerous Goods by
	Road IATA - International Air Transport Association IMDG code - International Maritime Dangerous Goods
	RID - Regulations concerning the International Carriage of Dangerous Goods by Rail WGK - Water Hazard Class STOT - RE : Specific Target Organ Toxicity - Repeated Exposure UFI : Unique Formula Identifier
Training advice Further information	 Ensure operators understand the flammability hazard. Classification using data from databases maintained by the European Industrial Gases Association (EIGA). Data is maintained in EIGA doc 169 : 'Classification and Labelling Guide', downloadable at : http://www.eiga.eu. Classification in accordance with the procedures and calculation methods of Regulation (EC) 1272/2008 (CLP).

Full text of H- and EUH-statements	
Flam. Gas 1A	Flammable gases, Category 1A
Flam. Gas 1B	Flammable gases, Category 1B
H220	Extremely flammable gas.

Г

	SAFETY DATA SHEET	Page : 11/11	
Air Liquide		Revised edition no : 4.0	
		Revision date : 2023-01-23	
		Supersedes version of : 2021-07-13	
Arcal 15		NOAL_1012 UFI: 4WS2-J0E2-800V- 1FH2	
		Country : FI / Language : EN	
H221	Flammable gas.		
H280	Contains gas under pressure; may explode if heate	Contains gas under pressure; may explode if heated.	
ress. Gas (Comp.) Gases under pressure : Compressed gas			
DISCLAIMER OF LIABILITY	: Before using this product in any new process or compatibility and safety study should be carried Details given in this document are believed to be	out.	

or damage resulting from its use can be accepted.

Whilst proper care has been taken in the preparation of this document, no liability for injury

End of document