

Page : 1/15 Revised edition no: 6.0 Revision date: 2024-02-02

Supersedes version of : 2023-03-13

NOAL_1000 UFI: 2VR2-G049-K00X-

3CH9

Country: SE / Language: EN

1000 bubbles

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

: 1000 bubbles Trade name SDS no : NOAL 1000

UFI: 2VR2-G049-K00X-3CH9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Industrial and professional uses. Perform risk assessment prior to use.

Contact supplier for more information on uses.

Uses advised against : Consumer use.

1.3. Details of the supplier of the safety data sheet

Company identification

Supplier

AIR LIQUIDE GAS AB Pulpetgatan 20 215 37 Malmö - SWEDEN T +46 40 38 10 00

info.sweden@airliquide.com

E-Mail address (competent person) : eunordic-sds@airliquide.com

1.4. Emergency telephone number

Emergency telephone number : 112

Availability (24 / 7)

| Country | Organisation/Company | Address | Emergency number | Comment |
|---------|--|--------------------------------------|---------------------|---------|
| Germany | Giftnotruf Erfurt Gemeinsames Giftinformationszentrum der Länder Mecklenburg-Vorpommern, Sachsen, Sachsen-Anhalt und Thüringen, c/o HELIOS Klinikum Erfurt | Nordhäuser Straße 74 99089 Erfurt | +49 (0) 361 730 730 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Physical hazards Aerosol, Category 3 H229 Oxidising Gases, Category 1 H270

Health hazards Serious eye damage/eye irritation, Category 2 H319



Page : 2/15

Revised edition no : 6.0

Revision date : 2024-02-02

Supersedes version of: 2023-03-13

NOAL_1000 UFI: 2VR2-G049-K00X-3CH9

Country : SE / Language : EN

1000 bubbles

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS03

Signal word (CLP) : Danger

Hazard statements (CLP) : H270 - May cause or intensify fire; oxidiser.

H319 - Causes serious eye irritation.

H229 - Pressurised container: May burst if heated.

Precautionary statements (CLP)

- Prevention : P244 - Keep valves and fittings free from oil and grease.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P264 - Wash hands, forearms and face thoroughly after handling.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P251 - Do not pierce or burn, even after use.

P220 - Keep away from clothing and other combustible materials.

: P337+P313 - If eye irritation persists: Get medical advice/attention.

P370+P376 - In case of fire: Stop leak if safe to do so.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

- Storage : P403 - Store in a well-ventilated place.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

- Response

None.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not established.

3.2. Mixtures

| Name | Product identifier | Composition [V-%]: | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-----------------|---|--------------------|---|
| Water | CAS-No.: 7732-18-5 EC-No.: 231-791-2 EC Index-No.: | 95 | Not classified |
| Nitrous oxide | CAS-No.: 10024-97-2 EC-No.: 233-032-0 EC Index-No.: REACH-no: 01-2119970538-25 | 2.5 | Ox. Gas 1, H270 Press. Gas (Liq.), H280 STOT SE 3, H336 |
| Sodium benzoate | CAS-No.: 532-32-1 EC-No.: 208-534-8 EC Index-No.: REACH-no: 01-2119460683-35 | 1 | Eye Irrit. 2, H319 |



Page : 3/15

Revised edition no : 6.0

Revision date : 2024-02-02 Supersedes version of : 2023-03-13

1000 bubbles

NOAL_1000 UFI: 2VR2-G049-K00X-3CH9

Country: SE / Language: EN

| Sulfuric acid, mono-C12-16-alkyl | CAS-No.: 73296-89-6 | 1 | Flam. Sol. 1, H228 |
|----------------------------------|----------------------------|-----|---------------------------|
| esters, sodium salts | EC-No.: 277-362-3 | | Skin Irrit. 2, H315 |
| | EC Index-No.: | | Eye Dam. 1, H318 |
| | REACH-no: 01-2119489464-26 | | STOT SE 3, H335 |
| | | | Aquatic Chronic 3, H412 |
| Tetrasodium (1- | CAS-No.: 3794-83-0 | 0.5 | Acute Tox. 4 (Oral), H302 |
| hydroxyethylidene)bisphosphonate | EC-No.: 223-267-7 | | Eye Irrit. 2, H319 |
| | EC Index-No.: | | |
| | REACH-no: 01-2119510382-52 | | |

Full text of H- and EUH-statements: see section 16

Contains no other components or impurities which will influence the classification of the product.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation
 Skin contact
 Adverse effects not expected from this product.
 Adverse effects not expected from this product.

- Eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes.

- Ingestion : Ingestion is not considered a potential route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

May cause irritation to cornea (with temporary disturbance to vision).

See section 11.

4.3. Indication of any immediate medical attention and special treatment needed

Obtain medical assistance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water spray or fog.

- Unsuitable extinguishing media : Do not use water jet to extinguish.

5.2. Special hazards arising from the substance or mixture

Specific hazards : Exposure to fire may cause containers to rupture/explode.

Hazardous combustion products : Nitric oxide/nitrogen dioxide.

5.3. Advice for firefighters

Specific methods : Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat

radiation may cause gas receptacles to rupture. Cool endangered receptacles with water spray jet from a protected position. Prevent water used in emergency cases from entering

sewers and drainage systems. If possible, stop flow of product.

Use water spray or fog to knock down fire fumes if possible.

Move containers away from the fire area if this can be done without risk.

Special protective equipment for fire fighters : Wear gas tight chemically protective clothing in combination with self contained breathing

apparatus.

Standard EN 943-2: Protective clothing against liquid and gaseous chemicals, aerosols and

solid particles. Gas-tight chemical protective suits for emergency teams.

Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full

face mask.



Page: 4/15 Revised edition no: 6.0

Revision date: 2024-02-02

Supersedes version of: 2023-03-13

NOAL 1000 UFI: 2VR2-G049-K00X-3CH9

Country: SE / Language: EN

1000 bubbles

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area.

Wear self-contained breathing apparatus when entering area unless atmosphere is proved

Ensure adequate air ventilation.

Act in accordance with local emergency plan.

Stay upwind.

6.2. Environmental precautions

Reduce vapour with fog or fine water spray.

6.3. Methods and material for containment and cleaning up

Ventilate area.

6.4. Reference to other sections

See also sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Safe use of the product

: Do not breathe gas.

Avoid release of product into atmosphere.

The product must be handled in accordance with good industrial hygiene and safety

Only experienced and properly instructed persons should handle gases under pressure.

Consider pressure relief device(s) in gas installations.

Ensure the complete gas system was (or is regularily) checked for leaks before use.

Do not smoke while handling product.

Use only properly specified equipment which is suitable for this product, its supply pressure

and temperature. Contact your gas supplier if in doubt.

Avoid suck back of water, acid and alkalis.

Safe handling of the gas receptacle

: Refer to supplier's container handling instructions.

Do not allow backfeed into the container.

Protect containers from physical damage; do not drag, roll, slide or drop.

When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders.

Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use.

If user experiences any difficulty operating valve discontinue use and contact supplier.

Never attempt to repair or modify container valves or safety relief devices. Damaged valves should be reported immediately to the supplier.

Keep container valve outlets clean and free from contaminants particularly oil and water.

Replace valve outlet caps or plugs and container caps where supplied as soon as container

is disconnected from equipment.

of the container.

Close container valve after each use and when empty, even if still connected to equipment.

Never attempt to transfer gases from one cylinder/container to another.

Never use direct flame or electrical heating devices to raise the pressure of a container. Do not remove or deface labels provided by the supplier for the identification of the content

Suck back of water into the container must be prevented.

Open valve slowly to avoid pressure shock.



Page : 5/15 Revised edition no: 6.0 Revision date : 2024-02-02 Supersedes version of: 2023-03-13

1000 bubbles

NOAL 1000 UFI: 2VR2-G049-K00X-3CH9

Country: SE / Language: EN

7.2. Conditions for safe storage, including any incompatibilities

Observe all regulations and local requirements regarding storage of containers.

Containers should not be stored in conditions likely to encourage corrosion.

Container valve guards or caps should be in place.

Containers should be stored in the vertical position and properly secured to prevent them from falling over.

Stored containers should be periodically checked for general condition and leakage.

Keep container below 50°C in a well ventilated place.

Store containers in location free from fire risk and away from sources of heat and ignition.

Keep away from combustible materials.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Nitrous oxide (10024-97-2) | | | | |
|---|---|--|--|--|
| Austria - Occupational Exposure Limits | Austria - Occupational Exposure Limits | | | |
| Local name | Distickstoffmonoxid | | | |
| MAK (mg/m³) | 180 mg/m³ | | | |
| MAK (OEL TWA) [ppm] | 100 ppm | | | |
| MAK (OEL STEL) | 720 mg/m³ | | | |
| MAK (OEL STEL) [ppm] | 400 ppm | | | |
| Belgium - Occupational Exposure Limits | | | | |
| Local name | Diazote (oxyde de) # Diazote (oxyde de) | | | |
| OEL TWA | 91 mg/m³ | | | |
| OEL TWA [ppm] | 50 ppm | | | |
| Croatia - Occupational Exposure Limits | | | | |
| Local name | Didušikov oksid | | | |
| GVI (OEL TWA) [1] | 90 mg/m³ | | | |
| GVI (OEL TWA) [2] | 50 ppm | | | |
| Czech Republic - Occupational Exposure Limits | | | | |
| Local name | Oxid dusný | | | |
| PEL (OEL TWA) | 180 mg/m³ | | | |
| PEL (OEL TWA) [ppm] | 100 ppm | | | |
| NPK-P (OEL C) | 360 mg/m³ | | | |
| NPK-P (OEL C) [ppm] | 200 ppm | | | |



1000 bubbles

Page : 6/15

Revised edition no : 6.0

Revision date : 2024-02-02

Supersedes version of : 2023-03-13

NOAL_1000 UFI: 2VR2-G049-K00X-3CH9

Country : SE / Language : EN

| | Country : CE / Earliguage : EIV |
|--|------------------------------------|
| Denmark - Occupational Exposure Limits | |
| Local name | Dinitrogenoxid (Kvælstofforilte) |
| OEL TWA [1] | 90 mg/m³ |
| OEL TWA [2] | 50 ppm |
| Estonia - Occupational Exposure Limits | · |
| Local name | Dilämmastikoksiid (naerugaas) |
| OEL TWA | 180 mg/m³ |
| OEL TWA [ppm] | 100 ppm |
| OEL STEL | 900 mg/m³ |
| OEL STEL [ppm] | 500 ppm |
| Finland - Occupational Exposure Limits | |
| Local name | Typpioksiduuli |
| HTP (OEL TWA) [1] | 180 mg/m³ |
| HTP (OEL TWA) [2] | 100 ppm |
| Germany - Occupational Exposure Limits (TRGS | 900) |
| Local name | Distickstoffoxid |
| AGW (OEL TWA) [1] | 180 mg/m³ |
| AGW (OEL TWA) [2] | 100 ppm |
| Remark | DFG,Y |
| Hungary - Occupational Exposure Limits | |
| Local name | DINITROGÉN-OXID |
| AK (OEL TWA) | 180 mg/m³ |
| CK (OEL STEL) | 720 mg/m³ |
| Ireland - Occupational Exposure Limits | · |
| Local name | Nitrous oxide |
| OEL TWA [1] | 90 mg/m³ |
| OEL TWA [2] | 50 ppm |
| Lithuania - Occupational Exposure Limits | |
| Local name | Diazoto oksidas (azoto suboksidas) |
| IPRV (OEL TWA) | 180 mg/m³ |
| IPRV (OEL TWA) [ppm] | 100 ppm |
| TPRV (OEL STEL) | 900 mg/m³ |
| TPRV (OEL STEL) [ppm] | 500 ppm |



Page : 7/15

Revised edition no : 6.0
Revision date : 2024-02-02
Supersedes version of : 2023-03-13

NOAL_1000 UFI: 2VR2-G049-K00X-3CH9

Country: SE / Language: EN

| 1 | 0 | 0 | 0 | b | u | b | b | | es | , |
|---|---|---|---|---|---|---|---|--|----|---|
|---|---|---|---|---|---|---|---|--|----|---|

| | Country : SE / Language : EN |
|---|---|
| Poland - Occupational Exposure Limits | |
| Local name | Tlenek diazotu |
| NDS (OEL TWA) | 90 mg/m³ |
| Portugal - Occupational Exposure Limits | |
| Local name | Óxido nitroso |
| OEL TWA [ppm] | 50 ppm |
| Slovenia - Occupational Exposure Limits | |
| Local name | didušikov oksid |
| OEL TWA | 180 mg/m³ |
| OEL TWA [ppm] | 100 ppm |
| OEL STEL | 720 mg/m³ |
| OEL STEL [ppm] | 400 ppm |
| Spain - Occupational Exposure Limits | |
| Local name | Óxido de dinitrógeno (Protóxido de nitrógeno) |
| VLA-ED (OEL TWA) [1] | 92 mg/m³ |
| VLA-ED (OEL TWA) [2] | 50 ppm |
| Sweden - Occupational Exposure Limits | |
| Local name | Dikväveoxid |
| NGV (OEL TWA) | 180 mg/m³ 180 mg/m³ |
| NGV (OEL TWA) [ppm] | 100 ppm 100 ppm |
| KTV (OEL STEL) | 900 mg/m³ 900 mg/m³ |
| KTV (OEL STEL) [ppm] | 500 ppm 500 ppm |
| United Kingdom - Occupational Exposure Limits | |
| Local name | Nitrous oxide |
| WEL TWA (OEL TWA) [1] | 183 mg/m³ |
| WEL TWA (OEL TWA) [2] | 100 ppm |
| Iceland - Occupational Exposure Limits | |
| Local name | Díköfnunarefnisoxíð (dínítrógenoxíð, glaðloft, hláturgas) |
| OEL TWA | 90 mg/m³ |
| OEL TWA [ppm] | 50 ppm |



Page: 8/15
Revised edition no: 6.0
Revision date: 2024-02-02

Supersedes version of : 2023-03-13 **NOAL 1000**

UFI: 2VR2-G049-K00X-3CH9

Country : SE / Language : EN

1000 bubbles

| Norway - Occupational Exposure Limits | | | |
|--|---|--|--|
| Local name | Dinitrogenoksid | | |
| Grenseverdi (OEL TWA) [1] | 90 mg/m³ | | |
| Grenseverdi (OEL TWA) [2] | 50 ppm | | |
| Switzerland - Occupational Exposure Limits | | | |
| Local name | Distickstoffmonoxid | | |
| MAK (OEL TWA) [1] | 182 mg/m³ 182 mg/m³ | | |
| MAK (OEL TWA) [2] | 100 ppm 100 ppm | | |
| KZGW (OEL STEL) | 364 mg/m³ 364 mg/m³ | | |
| KZGW (OEL STEL) [ppm] | 200 ppm 200 ppm | | |
| Remark | R2 _F R2 _D - ZNS, Blut, Leber ^{KT HU} - NIOSH | | |
| USA - ACGIH - Occupational Exposure Limits | | | |
| Local name | Nitrous oxide | | |
| ACGIH OEL TWA [ppm] | 50 ppm | | |
| Remark (ACGIH) | CNS impair; hematologic eff | | |
| | | | |

| Nitrous oxide (10024-97-2) | |
|--|--|
| DNEL: Derived no effect level (Workers) | |
| Long-term - systemic effects, inhalation 183 mg/m³ | |

PNEC (Predicted No-Effect Concentration) : None established.

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Product to be handled in a closed system.

Systems under pressure should be regularily checked for leakages. Ensure exposure is below occupational exposure limits (where available). Consider the use of a work permit system e.g. for maintenance activities.

8.2.2. Individual protection measures, e.g. personal protective equipment

A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk.

The following recommendations should be considered:

PPE compliant to the recommended EN/ISO standards should be selected.

: Wear goggles and a face shield when transfilling or breaking transfer connections.

Standard EN 166 - Personal eye-protection - specifications.

Provide readily accessible eye wash stations and safety showers.

· Skin protection

· Eye/face protection

- Hand protection : Wear working gloves when handling gas containers.

Standard EN 388 - Protective gloves against mechanical risk, performance level 1 or higher.



Page : 9/15

Revised edition no : 6.0

Revision date : 2024-02-02

Supersedes version of : 2023-03-13

NOAL_1000 UFI: 2VR2-G049-K00X-3CH9

Country: SE / Language: EN

1000 bubbles

- Other : Wear safety shoes while handling containers.

Standard EN ISO 20345 - Personal protective equipment - Safety footwear.

• Respiratory protection : Gas filters may be used if all surrounding conditions e.g. type and concentration of the

contaminant(s) and duration of use are known.

Use gas filters with full face mask, where exposure limits may be exceeded for a short-term

period, e.g. connecting or disconnecting containers.

Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full

ace mask.

Consult respiratory device supplier's product information for the selection of the appropriate

device.

Gas filters do not protect against oxygen deficiency.

Standard EN 14387 - Gas filter(s), combined filter(s) and standard EN136, full face masks .

Keep self contained breathing apparatus readily available for emergency use.

Self contained breathing apparatus is recommended, where unknown exposure may be

expected, e.g. during maintenance activities on installation systems.

• Thermal hazards : None in addition to the above sections.

8.2.3. Environmental exposure controls

Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

- Physical state at 20°C / 101.3kPa : Gas - Colour : Yellow Odour : odourless

Odour threshold is subjective and inadequate to warn of overexposure.

pH : Not applicable for gases and gas mixtures.

Melting point / Freezing point : Not applicable for gas mixtures. Boiling point : Not applicable for gas mixtures.

Flash point : Not applicable for gases and gas mixtures.

Flammability Non flammable. **Explosive limits** Non flammable. Lower explosion limit Not available : Not available Upper explosion limit Vapour pressure [20°C] Not applicable. Vapour pressure [50°C] Not applicable. Density Not applicable Not applicable. Vapour density Relative density, liquid (water=1) Not applicable Relative density, gas (air=1) Lighter or similar to air.

Water solubility : Solubility in water of component(s) of the mixture :

• Sodium benzoate: 556 g/l • Sulfuric acid, mono-C12-16-alkyl esters, sodium salts: > 250

g/l • Nitrous oxide: 1500 mg/l : Not applicable for gas mixtures.

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature : Non flammable.

Decomposition temperature : Not applicable.

Viscosity, kinematic : No reliable data available.

Particle characteristics : Not applicable



Page : 10/15
Revised edition no : 6.0
Revision date : 2024-02-02

Revision date: 2024-02-02
Supersedes version of: 2023-03-13

NOAL_1000 UFI: 2VR2-G049-K00X-

3CH9

Country: SE / Language: EN

1000 bubbles

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Explosive properties : Not applicable.

Oxidising properties : Not applicable.

9.2.2. Other safety characteristics

Molar mass : Not applicable for gas mixtures.

Evaporation rate : Not applicable for gases and gas mixtures.

Other data : None.

SECTION 10: Stability and reactivity

10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None.

Reactivity : This mixture contains components with the following reactivity : Violently oxidises organic

material.

10.4. Conditions to avoid

Avoid moisture in installation systems.

10.5. Incompatible materials

For additional information on compatibility refer to ISO 11114.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not

be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Classification criteria are not met.

Tetrasodium (1-hydroxyethylidene)bisphosphonate (3794-83-0)

Nitrous oxide (10024-97-2)

LC50 Inhalation - Rat [ppm] 500000 ppm/4h

Classification criteria are not met. Skin corrosion/irritation : Causes serious eye irritation. Serious eye damage/irritation : No known effects from this product. Respiratory or skin sensitisation Germ cell mutagenicity : No known effects from this product. : No known effects from this product. Carcinogenicity : No known effects from this product. Toxic for reproduction: Fertility : No known effects from this product. Toxic for reproduction: unborn child : Classification criteria are not met. STOT-single exposure



Page : 11/15
Revised edition no : 6.0

Revision date : 2024-02-02 Supersedes version of : 2023-03-13

NOAL 1000

UFI: 2VR2-G049-K00X-3CH9

Country: SE / Language: EN

1000 bubbles

STOT-repeated exposure : No known effects from this product.

Aspiration hazard : Not applicable for gases and gas mixtures.

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Assessment : No data available.

EC50 48h - Daphnia magna [mg/l] : No data available.

EC50 72h - Algae [mg/l] : No data available.

LC50 96 h - Fish [mg/l] : No data available.

| Nitrous oxide (10024-97-2) | | |
|---------------------------------|-----------------------------------|--|
| EC50 48h - Daphnia magna [mg/l] | Study scientifically unjustified. | |
| EC50 72h - Algae [mg/l] | Study scientifically unjustified. | |
| LC50 96 h - Fish [mg/l] | Study scientifically unjustified. | |

12.2. Persistence and degradability

Assessment : No data available.

12.3. Bioaccumulative potential

Assessment : No data available.

12.4. Mobility in soil

Assessment : Because of its high volatility, the product is unlikely to cause ground or water pollution.

Partition into soil is unlikely.

12.5. Results of PBT and vPvB assessment

Assessment : Not classified as PBT or vPvB.

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Other adverse effects : No known effects from this product.

Effect on the ozone layer : None.

Effect on global warming : Contains greenhouse gas(es).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Contact supplier if guidance is required.

Must not be discharged to atmosphere.

Ensure that the emission levels from local regulations or operating permits are not

exceeded.

Refer to the EIGA code of practice Doc.30 "Disposal of Gases", downloadable at

http://www.eiga.org for more guidance on suitable disposal methods.

Return unused product in original container to supplier.



Page : 12/15
Revised edition no : 6.0
Revision date : 2024-02-02

Supersedes version of : 2023-03-13

NOAL_1000 UFI: 2VR2-G049-K00X-

3CH9Country: SE / Language: EN

1000 bubbles

List of hazardous waste codes (from Commission

Decision 2000/532/EC as amended)

: 16 05 04 * : Gases in pressure containers (including halons) containing hazardous

substances.

13.2. Additional information

External treatment and disposal of waste should comply with applicable local and/or

national regulations.

SECTION 14: Transport information

14.1. UN number or ID number

In accordance with ADR / RID / IMDG / IATA / ADN

UN-No. : 1950

14.2. UN proper shipping name

Transport by road/rail (ADR/RID) : AEROSOLS

Transport by air (ICAO-TI / IATA-DGR) : Aerosols, non-flammable

Transport by sea (IMDG) : AEROSOLS

14.3. Transport hazard class(es)

Labelling

2.2 : Non-flammable, non-toxic gases.

Transport by road/rail (ADR/RID)

Class : 2 Classification code : 5A

Tunnel Restriction : E - Passage forbidden through tunnels of category E

Transport by air (ICAO-TI / IATA-DGR)

Class / Div. (Sub. risk(s)) : 2.2

Transport by sea (IMDG)

 Class / Div. (Sub. risk(s))
 : 2.1

 Emergency Schedule (EmS) - Fire
 : F-D

 Emergency Schedule (EmS) - Spillage
 : S-U

14.4. Packing group

Transport by road/rail (ADR/RID) : Not established.
Transport by air (ICAO-TI / IATA-DGR) : Not established.
Transport by sea (IMDG) : Not established.

14.5. Environmental hazards

Transport by road/rail (ADR/RID) : None.

Transport by air (ICAO-TI / IATA-DGR) : None.

Transport by sea (IMDG) : None.

14.6. Special precautions for user

Packing Instruction(s)

Transport by road/rail (ADR/RID) : P207. LP200

Transport by air (ICAO-TI / IATA-DGR)

Passenger and Cargo Aircraft : 203.
Cargo Aircraft only : 203.



Transport by sea (IMDG)

SAFETY DATA SHEET

Page : 13/15
Revised edition no : 6.0
Revision date : 2024-02-02

Supersedes version of : 2023-03-13

NOAL_1000 UFI: 2VR2-G049-K00X-

3CH9Country: SE / Language: EN

1000 bubbles

: P207. I P200

Special transport precautions : Avoid transport on vehicles where the load space is not separated from the driver's

compartment.

Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in

the event of an accident or an emergency.
Before transporting product containers:
- Ensure there is adequate ventilation.
- Ensure that containers are firmly secured.
- Ensure valve is closed and not leaking.

- Ensure valve outlet cap nut or plug (where provided) is correctly fitted.

- Ensure valve protection device (where provided) is correctly fitted.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

Restrictions on use : None

Contains no substance(s) listed on the REACH Candidate List

National legislation : Ensure all national/local regulations are observed.

Seveso Directive: 2012/18/EU (Seveso III) : Not covered.

National regulations

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

15.2. Chemical safety assessment

A CSA does not need to be carried out for this product.

SECTION 16: Other information

Indication of changes : Safety data sheet in accordance with commission regulation (EU) No 2020/878.

| Section | Changed item | Change | Comments |
|---------|--------------|--------|--|
| 1.3 | Company | | Version 6.0. New address in Sweden. (This change only applies to the Swedish (SE) version of this SDS) |



Page: 14/15
Revised edition no: 6.0
Revision date: 2024-02-02

Supersedes version of : 2023-03-13 **NOAL 1000**

UFI: 2VR2-G049-K00X-3CH9

Country : SE / Language : EN

1000 bubbles

Abbreviations and acronyms

Training advice Further information : ATE - Acute Toxicity Estimate

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006

EINECS - European Inventory of Existing Commercial Chemical Substances

CAS# - Chemical Abstract Service number PPE - Personal Protection Equipment

LC50 - Lethal Concentration to 50 % of a test population

RMM - Risk Management Measures

PBT - Persistent, Bioaccumulative and Toxic

vPvB - Very Persistent and Very Bioaccumulative

STOT- SE: Specific Target Organ Toxicity - Single Exposure

CSA - Chemical Safety Assessment

EN - European Standard

UN - United Nations

ADR - European Agreement concerning the International Carriage of Dangerous Goods by

Road

IATA - International Air Transport Association

IMDG code - International Maritime Dangerous Goods

RID - Regulations concerning the International Carriage of Dangerous Goods by Rail

WGK - Water Hazard Class

STOT - RE: Specific Target Organ Toxicity - Repeated Exposure

: None.

: Classification using data from databases maintained by the European Industrial Gases Association (EIGA). Data is maintained in EIGA doc 169 : 'Classification and Labelling

Guide', downloadable at : http://www.eiga.eu.

Classification in accordance with the procedures and calculation methods of Regulation

(EC) 1272/2008 (CLP).

| Full text of H- and EUH-statements | | |
|------------------------------------|---|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 | |
| Aerosol 3 | Aerosol, Category 3 | |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 | |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |
| Flam. Sol. 1 | Flammable solids, Category 1 | |
| H228 | Flammable solid. | |
| H229 | Pressurised container: May burst if heated. | |
| H270 | May cause or intensify fire; oxidiser. | |
| H280 | Contains gas under pressure; may explode if heated. | |
| H302 | Harmful if swallowed. | |
| H315 | Causes skin irritation. | |
| H318 | Causes serious eye damage. | |
| H319 | Causes serious eye irritation. | |
| H335 | May cause respiratory irritation. | |
| H336 | May cause drowsiness or dizziness. | |



1000 bubbles

Page : 15/15
Revised edition no : 6.0
Revision date : 2024-02-02

Supersedes version of : 2023-03-13

NOAL_1000 UFI: 2VR2-G049-K00X-3CH9

Country : SE / Language : EN

| H412 | Harmful to aquatic life with long lasting effects. | |
|-------------------|--|--------------------------------|
| Ox. Gas 1 | Oxidising Gases, Category 1 | |
| Press. Gas (Liq.) | Gases under pressure : Liquefied gas | |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 | |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3 | , Respiratory tract irritation |

DISCLAIMER OF LIABILITY

 Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.
 Details given in this document are believed to be correct at the time of going to press.
 Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.

End of document